

Miele

TWD440WP



TWD440 WP EcoSpeed&8kg

T1 Heat-pump tumble dryer

A+++ and EcoSpeed for faster drying combined with maximum energy efficiency.



- Faster drying combined with maximum energy efficiency – EcoSpeed
- Savings for the life of your tumble dryer – EcoDry technology
- Fragrant laundry just the way you like it – FragranceDos
- Perfect room and furniture protection – best condensation effect
- Easy fingertip operation – DirectSensor

Price \$ 1,899.00**

** GST inclusive

| | |
|--------------------------------------|--------------------------------|
| Construction type | |
| Suitable for stacking | • |
| Side-by-side | • |
| Slot-in | • |
| Door hinge | left |
| Model | |
| Heat pump dryer | • |
| Design | |
| Appliance colour | Lotus white |
| Control panel colour | Lotus white |
| Door design | Lotus white |
| Rotary selector colour | Lotus White |
| Control panel version | 5° incline |
| Control type | Rotary selector |
| Display | DirectSensor yellow, 7 segment |
| Drying results | |
| Perfect Dry | • |
| FragranceDos | • |
| Intelligent drum reversal | • |
| Gentle laundry care | |
| Honeycomb drum | • |
| Load in kg | 8.0 |
| User convenience | |
| Delay start up to 24 hours | • |
| Time left display | • |
| Drum lighting | LED |
| Condensate container | • |
| Integrated condensed water drainage | • |
| AddLoad | • |
| Efficiency and sustainability | |
| EcoDry technology | • |
| Maintenance-free heat exchanger | • |
| ProfiEco motor | • |
| EcoSpeed | • |

TWD440 WP EcoSpeed&8kg

T1 Heat-pump tumble dryer

A+++ and EcoSpeed for faster drying combined with maximum energy efficiency.



| Drying programmes | |
|--|-------|
| Cottons (coloureds) | • |
| Cottons Eco | • |
| Minimum iron | • |
| Delicates | • |
| Shirts | • |
| Woollens handcare | • |
| Express | • |
| Denim | • |
| Proofing | • |
| Warm air | • |
| Pre-ironing | • |
| Bed linen | • |
| Drying options | |
| Anti-crease | • |
| Gentle tumble | • |
| Quality | |
| Soft ribs | • |
| Safety | |
| PIN code lock | • |
| "Empty out container" indicator | • |
| "Clean filter" indication | • |
| Optical interface | • |
| Technical data | |
| Dimensions in mm (width) | 596 |
| Dimensions in mm (height) | 850 |
| Dimensions in mm (depth) | 643 |
| Appliance depth in mm with opened door | 1,077 |
| Weight in kg | 58 |
| Total rated load in kW | 1.1 |
| Voltage in V | 230 |
| Fuse rating in A | 10 |
| Length of supply lead in m | 2 |
| Hermetically sealed | • |
| Type of coolant | R290 |
| Standard accessories | |
| Fragrance flacon | • |

Miele Australia Pty Ltd

ACN 005 635 398
ABN 96 005 635 398

Miele Australia Pty Ltd

Head Office
1 Gilbert Park Drive
Knoxfield VIC 3180

Telephone: 1300 4 MIELE (1300 464 353)

www.miele.com.au

Miele Experience Centre Knoxfield

1 Gilbert Park Drive
Knoxfield VIC 3180

**Miele Experience Centre
South Melbourne**

206-210 Coventry Street
South Melbourne VIC 3205

**Miele Experience Centre
and Office Sydney**

3 Skyline Place
Frenchs Forest NSW 2086

Miele Experience Centre Brisbane

Tenancy 4C, 63 Skyring Terrace
Newstead QLD 4006

Miele Experience Centre Gold Coast

131 Ferry Road
Southport QLD 4215

**Miele Experience Centre
and Office Adelaide**

83-85 Sir Donald Bradman Drive
Hilton SA 5033

**Miele Experience Centre
and Office Perth**

205-207 Stirling Highway
Claremont WA 6010

Miele New Zealand Limited

IRD 98 463 631

Miele New Zealand Limited

Head Office
Level 2, 10 College Hill
Freemans Bay, Auckland 1011

Telephone: 0800 4 MIELE (0800 464 353)

www.miele.co.nz

Miele Experience Centre Auckland

8 College Hill
Freemans Bay Auckland 1011

Miele Experience Centre Wellington

183 Featherston Street
Wellington 6011

Miele & Cie. KG

Carl-Miele-Straße 29
33332 Gütersloh
Postfach, 33325 Gütersloh
Telefon +49 5241 89-0
Telefax +49 5241 89-2090
E-Mail: info@miele.de



shop.miele.com.au



shop.miele.co.nz