

Miele

TWB140 WP

T1 Heat-pump tumble dryer

A++ for high efficiency at an attractive entry level price.



- Savings for the life of your tumble dryer – EcoDry technology
- Fragrant laundry just the way you like it – FragranceDos
- Precision drying of all textiles PerfectDry
- Perfect room and furniture protection
 best condensation effect
- Easy fingertip operation DirectSensor

Price \$ 1,799.00**

** GST inclusive

Construction type	
Construction type Suitable for stacking	•
Side-by-side	-
	<u>-</u>
Slot-in	
Door hinge	left
Model Heat pump dryer	_
Design	
Appliance colour	Lotus white
Control panel colour	Lotus white
Door design	Lotus white
Rotary selector colour	Lotus White
Control panel version	5° incline
· · · · · · · · · · · · · · · · · · ·	Rotary selector
Control type	
Display	DirectSensor yellow, 7 segment
Drying results	oogmon.
Perfect Dry	•
FragranceDos	•
Intelligent drum reversal	•
Gentle laundry care	
Honeycomb drum	•
Load in kg	7.0
User convenience	
Delay start up to 24 hours	•
Time left display	•
Drum lighting	LED
Condensate container	•
Integrated condensed water drainage	•
AddLoad	•
Efficiency and sustainability	
EcoDry technology	•
Maintenance-free heat exchanger	•
ProfiEco motor	•



TWB140 WP

T1 Heat-pump tumble dryer

A++ for high efficiency at an attractive entry level price.



Danima and an annual and an	
Drying programmes	
Cottons (coloureds)	<u>•</u>
Cottons Eco	<u> </u>
Minimum iron	<u> </u>
Delicates	<u>•</u>
Shirts	<u>•</u>
Woollens handcare	<u> </u>
Express	
Denim	•
Proofing	•
Warm air	•
Pre-ironing	•
Bed linen	•
Drying options	
Anti-crease	<u> </u>
Gentle tumble	•
Quality	
Soft ribs	•
Safety	
PIN code lock	<u> </u>
"Empty out container" indicator	•
"Clean filter" indication	<u> </u>
Optical interface	•
Technical data	
Dimensions in mm (width)	596
Dimensions in mm (height)	850
Dimensions in mm (depth)	643
Appliance depth in mm with opened door	1,077
Weight in kg	58
Total rated load in kW	1.1
Voltage in V	230
Fuse rating in A	10
Length of supply lead in m	2
Hermetically sealed	•
Type of coolant	R290
Standard accessories	
Fragrance flacon	•



Miele Australia Pty Ltd

ACN 005 635 398 ABN 96 005 635 398

Miele Australia Pty Ltd

Head Office 1 Gilbert Park Drive Knoxfield VIC 3180

Telephone: 1300 4 MIELE (1300 464 353)

www.miele.com.au

Miele Experience Centre Knoxfield

1 Gilbert Park Drive Knoxfield VIC 3180

Miele Experience Centre South Melbourne

206-210 Coventry Street South Melbourne VIC 3205

Miele Experience Centre and Office Sydney

3 Skyline Place Frenchs Forest NSW 2086

Miele Experience Centre Brisbane

Tenancy 4C, 63 Skyring Terrace Newstead QLD 4006

Miele Experience Centre Gold Coast

131 Ferry Road Southport QLD 4215

Miele Experience Centre and Office Adelaide

83-85 Sir Donald Bradman Drive Hilton SA 5033

Miele Experience Centre and Office Perth

205-207 Stirling Highway Claremont WA 6010

Miele New Zealand Limited

IRD 98 463 631

Miele New Zealand Limited

Head Office Level 2, 10 College Hill Freemans Bay, Auckland 1011

Telephone: 0800 4 MIELE (0800 464 353)

www.miele.co.nz

Miele Experience Centre Auckland

8 College Hill Freemans Bay Auckland 1011

Miele Experience Centre Wellington

183 Featherston Street Wellington 6011

Miele & Cie. KG

Carl-Miele-Straße 29 33332 Gütersloh Postfach, 33325 Gütersloh Telefon +49 5241 89-0 Telefax +49 5241 89-2090 E-Mail: info@miele.de



