


N 70, Built-in compact oven with microwave function,
Stainless steel
C17MR02N0B



COOKING PASSION SINCE 1877



Compact built-in oven with integral microwave - even more ways to cook quickly and conveniently in a very small space.

- ✓ CircoTherm® - our smart hot-air solution for simultaneous baking and roasting on up to four levels
- ✓ ShiftControl - fast navigation through menus and simple operation with the TFT display.

Features

Technical Data

Type of micro-wave oven : MW-Combi
 Type of control : Electronic
 Color / Material Front : Stainless steel
 Dimensions of the product (mm) : 455 x 596 x 548
 Cavity dimensions (mm) : 237.0 x 480 x 392.0
 Length electrical supply cord (cm) : 150
 Net weight (kg) : 35.333
 Gross weight (kg) : 37.6
 EAN code : 4242004182177
 Maximum micro-wave power (W) : 900
 Connection Rating (W) : 3600
 Current (A) : 16
 Voltage (V) : 220-240
 Frequency (Hz) : 60; 50
 Plug type : no plug



Optional accessories

Z11SZ00X0 SeamlessCombination mounting kit
 Z11SZ60X0 SeamlessCombination 45 + 14cm
 Z11SZ90X0 SeamlessCombination 60 + 45cm
 Z12CB10A0 Baking tray, anthracite enamelled
 Z12CM10A0 Moussaka pan, anthracite enamelled
 Z12CU10A0 Multipurpose pan, anthracite enamelled
 Z13CV06S0 Decor strip
 Z1913X0 Baking Stone

*N 70, Built-in compact oven with microwave
function, Stainless steel
C17MR02N0B*

Features

Heating Functions

- Compact oven with microwave with 6 heating methods: Hot Air Full surface grill CircoTherm® Eco Centre area grill Circo-roasting Plate warming
- Additional heating methods with microwave: Pure microwave, Combination microwave and conventional oven
- Max. Power: 900 W; 5 Microwave power settings (90 W, 180 W, 360 W, 600 W, 900 W) with Inverter (MW)
- Intelligent inverter technology: maximum output power will be regulated to 600 W when used in longer operation
- Cavity volume: 45 net usable litres

Design

- Anthracite enamel cavity with 3 shelf positions

Cleaning

Convenience

- 2.5" colour and text Display with ShiftControl
- Drop down door, SoftMove oven door with soft open and soft close, SoftOpen
- Automatic programs
- Number of automatic programmes: 14 PC
- Electronic clock with start / stop function
- Rapid heating-up: automatic
- LED lighting
- Cooling fan
- Stainless-steel fan

Hook-in racks / rails

Accessories

- 1 x universal pan, 1 x combination grid

Safety and Environment

- Individual adjustable child lock Safety switch off Residual heat indicator Start button Door contact switch



Technical Info

- Length of mains cable: 150 cm
- Total connected load electric: 3.6 KW
- Appliance dimensions (HxWxD): 455 mm x 596 mm x 548 mm
- Installation dimensions (HxWxD): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

N 70, Built-in compact oven with microwave
function, Stainless steel
C17MR02N0B



Dimensioned drawings


Installation with a hob.




If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm







measurements in mm



measurements in mm



Installation with a hob.



measurements in mm

If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm