

iQ500, built-in freezer, 177.2 x 55.8 cm GI81NAC30A



- ✓ noFrost technology prevents icing and frosting so you never have to defrost again.
- ✓ SoftClosing Door: door closes automatically and softly when it is open at a 20° angle or less.
- ✓ superFreezing: reduces the temperature for a set time, to quickly freeze newly added food items.

Features

Technical Data

Thermometer freeze section : Digital
 Light : No
 Product category : Upright freezer
 Built-in / Free-standing : Built-in
 Door panel options : Not possible
 Frost free system : Fridge and freezer
 Height of the product (mm) : 1772
 Width of the appliance : 558
 Depth of the product : 545
 Dimensions of the packed product (HxWxD) (mm) : 1840 x 640 x 620
 Net weight (kg) : 64.806
 Gross weight (kg) : 70.0
 Connection Rating (W) : 120
 Current (A) : 10
 Frequency (Hz) : 50
 Approval certificates : CE, VDE
 Length electrical supply cord (cm) : 230
 Door hinge : Left reversible
 Storage Period in Event of Power Failure (h) : 22
 Warning signal / malfunction : visual and audible
 Lockable door : No
 Number of drawers/baskets (Stck) : 5
 Number of freezing flaps (Stck) : 2
 EAN code : 4242003870730
 Brand : Siemens
 Product name / Commercial code : GI81NAC30A
 Product category : Upright freezer
 Energy efficiency rating : A++
 Energy consumption annual (kWh/annum) : 243.00
 Freezer Net capacity (l) : 211
 Frost free system : Fridge and freezer
 Temperature rise time (h) : 22
 Freezing capacity (kg/24h) : 20
 Climate class : SN-T
 Noise level (dB) : 36
 Installation typology : Full-integrated

Included accessories

- 2 x cold accumulator
- 1 x ice cube tray






iQ500, built-in freezer, 177.2 x 55.8 cm
GI81NAC30A


Features

iQ500, built-in freezer, 177.2 x 55.8 cm GI81NAC30A

Dimensioned drawings



Maximal permissible weight of the unit fronts




Fitted kitchen unit doors that exceed the permissible weight may cause damage and result in functional impairment of the hinges.

T: Includes height of appliance door Hinges in mm:	undamped hinge, Door in kg:	damped hinge, Door in kg:
1500-1750	22	22

measurements in mm

Recommended gap dimensions for flat hinges



F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.