




Product Features

Motor Type	On Board Motor
Dimensions	<p>60cm: 561(W) x 73(H) x 143(D)mm Suits 50cm-75cm Cooking Surfaces</p> <p>90cm: 861(W) x 73(H) x 143(D)mm Suits 75cm-100cm Cooking Surfaces</p> <p>120cm: 1161(W) x 73(H) x 143(D)mm Suits 90cm-130cm Cooking Surfaces</p>
Filtration Type	Aluminum Mesh Filters
Controls	Soft Touch Control
Lighting	2xLED
Speed Settings	3 Speed + Boost
Ducting	150mm circular outlet (Recirculating Model Available)
Timer Functions	15min Auto Shut-Off
Optional Accessories	Carbon.Zeo Filter Chimney Glass Shelf
Filter Grease Alarm	Yes
Dishwasher Safe Filters	Yes

Dimensioned Drawings



* Semi-rigid or rigid ducting recommended.

Model Code	Size	Motor Output	Finish
F3MV60B1	60cm	800 m ³ /hr	Black Glass Panel
F3MV60W1 •	60cm	800 m ³ /hr	White Glass Panel
F3MV90B1	90cm	800 m ³ /hr	Black Glass Panel
F3MV90W1 •	90cm	800 m ³ /hr	White Glass Panel
F3MV12B1 •	120cm	800 m ³ /hr	Black Glass Panel
F3MV12W1 •	120cm	800 m ³ /hr	White Glass Panel

Special Order •

MOVE

Version

Built-in 60 cm - Black - 800
m³/h

Collection

Design


EAN code

8034122352169

MOTOR TECHNICAL SHEET

Motor speed	1	2	3	4
Noise level dB(A) _{re1pW-I.E.C.60704-2-13}	49	56	62	68
Capacity (m ³ /h) I.E.C.61591	280	370	480	680
Maximum pressure (Pa)	390	420	480	500
Motor Power (W)	132	153	175	215
Air outlet	150	150	150	150

CAPACITY / PRESSURE



MOVE

Version

Built-in 90 cm - Black - 800
m³/h

Collection

Design


EAN code

8034122352183

MOTOR TECHNICAL SHEET

Motor speed	1	2	3	4
Noise level dB(A) _{re1pW-I.E.C.60704-2-13}	49	56	62	68
Capacity (m ³ /h) I.E.C.61591	280	370	480	680
Maximum pressure (Pa)	390	420	480	500
Motor Power (W)	132	153	175	215
Air outlet	150	150	150	150

CAPACITY / PRESSURE



MOVE

Version

Built-in 120 cm - Black - 800
m³/h

Collection

Design

EAN code

8034122353326

MOTOR TECHNICAL SHEET

Motor speed	1	2	3	4
Noise level dB(A) _{re1pW-I.E.C.60704-2-13}	49	56	62	68
Capacity (m ³ /h) I.E.C.61591	280	370	480	680
Maximum pressure (Pa)	390	420	480	500
Motor Power (W)	132	153	175	215
Air outlet	150	150	150	150

CAPACITY / PRESSURE

