




Product Features

Motor Type	On Board Motor
Dimension	<p>60cm: 598(W) x 1060(H) x 480(D)mm Suits 50cm-75cm Cooking Surfaces</p> <p>90cm: 898(W) x 1060(H) x 480(D)mm Suits 75cm-100cm Cooking Surfaces</p> <p>120cm: 1198(W) x 1060(H) x 480(D)mm Suits 90cm-130cm Cooking Surfaces</p>
Filter	Aluminum Mesh Filter
Controls	Electronic Controls
Lighting	1x Neon
Speed Settings	3 Speed + Boost
Timer Function	15 Min Auto Shut-Off
Ducting	150mm Circular Outlet
Optional Accessories	700mm Wall Flue Extension 1200mm Island Flue Extension
Grease Filter Alarm	Yes
Dishwasher Safe Filters	Yes
Charcoal Filter	Yes

Dimensioned Drawings



* Semi-rigid or rigid ducting recommended.

Model Code	Size	Motor Output	Finish
F5LM60S1	60cm	800 m ³ /hr	Stainless Steel
F5LM90S1	90cm	800 m ³ /hr	Stainless Steel
F5LM12S1	120cm	800 m ³ /hr	Stainless Steel

LUMEN

Version

Wall 60 cm - 800 m³/h

Collection

Design


EAN code

8034122324289

MOTOR TECHNICAL SHEET

Motor speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	49	56	62	68
Capacity (m ³ /h) I.E.C.61591	280	370	480	680
Maximum pressure (Pa)	390	420	480	500
Motor Power (W)	132	153	175	215
Air outlet	150	150	150	150

CAPACITY / PRESSURE



LUMEN

Version

Wall 90 cm - 800 m³/h

Collection

Design


EAN code

8034122324876

MOTOR TECHNICAL SHEET

Motor speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	49	56	62	68
Capacity (m ³ /h) I.E.C.61591	280	370	480	680
Maximum pressure (Pa)	390	420	480	500
Motor Power (W)	132	153	175	215
Air outlet	150	150	150	150

CAPACITY / PRESSURE



LUMEN

Version

Wall 120 cm - 800 m³/h

Collection

Design

EAN code

8034122323824

MOTOR TECHNICAL SHEET

Motor speed	1	2	3	4
Noise level dB(A)re1pW-I.E.C.60704-2-13	49	56	62	68
Capacity (m ³ /h) I.E.C.61591	280	370	480	680
Maximum pressure (Pa)	390	420	480	500
Motor Power (W)	132	153	175	215
Air outlet	150	150	150	150

CAPACITY / PRESSURE

