


SFPA6604STNR

Oven, Dolce Stil Novo, 60cm, Combi Steam, Black, Pyrolitic



TYPE

Product Family: Oven • Category: 60cm • Cooking Method: Combi Steam • Steam technology: Smart steam 40 • Power supply: Electric • EAN code: 8017709252045

AESTHETICS

Colour: Black • Finishing: Glossy • Aesthetic: Dolce Stil Novo • Component finish: Copper • Material: Glass • Glass Type: Eclipse • Door: Full glass • Handle: Dolce Stil Novo • Handle Colour: Black

CONTROLS

Display: Yes • Control setting: Full touch

PROGRAMS / FUNCTIONS

No. of cooking functions: 15 • Automatic programmes: 50 • Traditional cooking functions: Static, Fan assisted, Circulaire, Turbo, Eco, Large grill, Fan grill (large), Circulaire + grill, Base, Fan assisted bottom • Steam assisted levels: 3 • Customisable recipes: 10 • Cooking functions with pulsed steam: Fan assisted, Circolare, Circulaire + Bottom, Turbo, Fan Grill • Other functions: Defrost by time, Defrost by weight, Plate rack/warmer, Proving, Sabbath • Cleaning functions: Pirolisis, Pirolisis eco

OPTIONS

Timer: Electronic • Time-setting options: Delay start and automatic end cooking • Minute minder: Yes • End of cooking acoustic alarm: Yes • Limited Power Consumption Mode: Yes • Timer: 1 • Showroom demo option: Yes • Rapid pre-heating: Yes • Smart cooking: Yes • Controls Lock / Child Safety: Yes • Other options: SmartCook system, Keep warm, Eco light, Language setting, Digital clock display, Tones

TECHNICAL FEATURES

Display technology: TFT • Oven control: Electronic • Temperature control: Electronic • Minimum Temperature: 30 °C • Maximum temperature: 280 °C • Cavity material: Ever clean Enamel • No. of shelves: 5 • Shelves type: Metal racks • N. of fans: 1 • No. of lights: 2 • User-replaceable light: Yes • Light type: Halogen • Cleaning system: Pyrolytic • Light Power: 40 W • Light when door is opened: Yes • Door opening type: Standard opening • Door: Cool • Removable door: Yes • Full glass inner door: Yes • Removable inner door: Yes • Total no. of door glasses: 4 • No. of thermoreflecting door glasses: 3 • Soft Close hinges: Yes • Safety Thermostat: Yes • Cooling system: Tangential • Door Lock During Pyrolysis: Yes • Water loading: Fill&Hide, automatic • Tank capacity: 160 ml • Heating suspended when door is opened: Yes • Lower heating element power: 1200 W • Upper heating element - Power: 1000 W • Grill element - power: 1700 W • Large grill - Power: 2700 W • Circular heating element - Power: 2000 W

PERFORMANCE / ENERGY LABEL

Energy efficiency class: A • Net volume of the cavity: 72 l • Energy consumption in conventional mode: 2.84 MJ • Energy consumption per cycle in conventional mode: 0.79 kWh • Energy consumption in forced air convection: 3.42 MJ • Energy consumption per cycle in fan-forced convection: 0.95 kWh

ELECTRICAL CONNECTION

Voltage: 220-240 V • Nominal power: 3000 W • Frequency (Hz): 50/60 Hz

LOGISTIC INFORMATION

Dimensions of the product (mm): 592x597x548 • Net weight (kg): 46.100 kg

ACCESSORIES INCLUDED

Rack with back and side stop: 2 • Enamelled tray (20mm): 1 • Enamelled deep tray (40mm): 1 • Insert grid: 1 • Telescopic Guide rails, total Extraction: 1

OPTIONAL

PPR2: Pizza stone

