

## DGC 7840 Gen 7000 Steam Combi



Model and design	
Combi steam oven	•
Design line	PureLine
Colour	Stainless Steel/CleanSteel
Convenience features	
Rapid heat-up	•
Pre-heat Pre-heat	•
External steam generation	•
Climate sensor	•
Individual humidity settings in combination cooking	•
Menu cooking without transfer of flavours	•
Prepare plated meals with "Mix & Match" app function	•
Wireless food probe	•
Automatic programmes with ability to make individual adjustments	•
Keeping warm	•
Crisp function	•
Operating modes	
Defrost	•
Automatic programmes	•
Country-specific automatic programmes	•
Combination cooking	
Combination cooking with Fan plus	•
	•
Combination cooking with Conventional heat	•
Combination cooking with Full grill	•
Steam cooking	÷
Sous-vide	•
Reheating	•
Roast with moisture	•
Grill	
Economy grill	
Fan plus	•
Intensive bake	-
Cake plus	•
Conventional heat	
Top heat	
Bottom heat	
Fan grill	•
Eco Fan plus	•
Plate warming	•
Eco steam cooking	•
Special applications	•
User convenience	
Display	M Touch
MotionReact: light comes on when movement is detected	•
MotionReact: display comes on when movement is detected	•
MotionReact: audible signal is acknowledged when movement is detected	•
MotionReact: detection of cabinet fronts	•
SoftOpen	•



## DGC 7840 Gen 7000 Steam Combi



SoftClose  MultiLingual  MultiLingual  MyMiele  Help function  Motorised opening and closing lift-up fascia panel  Quantity-independent cooking  Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme  Polyphonic audible signal tones  Time display  Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable end of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Programmable end of cooking duration  Programmable cooking  Programmab	User convenience	
MyMiele Help function Help function Wotorised opening and closing lift-up fascia panel Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Polyphonic audible signal tones Time display Date display Programmable start of cooking duration Programmable start of cooking duration Programmable end esplay Qualible signal when desired temperature is reached Recommended temperature User programmes Sabbath programme Individual settings Platiniess steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Quick-release side racks Automatic descaling CleanGlass door Press maintenance programme Quick-release side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Woto reserves for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display  • CleanGlasey  Floor display  • CleanGlase door  Floor display  • CleanGlasey  Floor display  • CleanGlasey  Floor display  Floor d	SoftClose	•
Help function  Motorised opening and closing lift-up fascia panel  Quantity-independent cooking Steam cooking on up to 3 levels at the same time  Automatic menu cooking with steam  Steam reduction before end of programme Polyphonic audible signal tones Time display  Date display  Minute minder Programmable start of cooking duration Programmable start of cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration Programmable cooking duration  Actual temperature display  Audible signal when desired temperature is reached Recommended temperature User programmes  20 Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel rorn compartment with linen structure and Perfect/Clean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Removable side racks Automatic descaling CleanGlass door  Steam technology and water supply DualSteam  Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter  Appliance networking Miele@home MobileControl SuperVision display  e  Mater reserve for endensed ended ended ended ender ended ende ende	MultiLingual	•
Motorised opening and closing lift-up fascia panel Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Polyphonic audible signal tones Time display Date display Minute minder Programmable start of cooking duration Programmable start of cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Desired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Pinse maintenance programme Quick-release side racks Automatic descaling CleanGass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display  e  Data the same time.  Seam technology and sea to so	MyMiele	•
Quantity-independent cooking Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Polyphonic audible signal tones Time display Bate display Bate display Bate display Buth display But	Help function	•
Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Polyphonic audible signal tones Time display Date display Bate display Date display Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Actual temperature display Audible signal when desired temperature is reached Recommended temperature User programme User programme User programme User programme Profectorian and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and Perfect Clean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Poven compartment drying programme Quick-release side racks Removable side rack	Motorised opening and closing lift-up fascia panel	•
Steam cooking on up to 3 levels at the same time Automatic menu cooking with steam Steam reduction before end of programme Polyphonic audible signal tones Time display Date display Bate display Date display Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Actual temperature display Audible signal when desired temperature is reached Recommended temperature User programme User programme User programme User programme Profectorian and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and Perfect Clean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Poven compartment drying programme Quick-release side racks Removable side rack		•
Automatic menu cooking with steam Steam reduction before end of programme Polyphonic audible signal tones Time display Date display Nimute minder Programmable start of cooking duration Programmable end of cooking duration Programmable end of cooking duration Programmable cooking duration Actual temperature display Pesired temperature display Audible signal when desired temperature is reached Recommended temperature Programmes Programmes Programmes Programmes Programmes Programmes Programmes Programme		•
Polyphonic audible signal tones Time display Date display Oate data temperature display Oate demperature oate demperature is reached Recommended temperature Oate oate demperature Oate oate oate oate oate oate oate oate o		•
Time display Date display Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Programmable cooking duration Actual temperature display Desired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Milosi Control SuperVision display  e  MobileControl SuperVision display  e  Mosturation  Programmable attention of cooking of the control of	Steam reduction before end of programme	•
Date display  Minute minder  Programmable start of cooking duration  Programmable end of cooking duration  Programmable cooking duration  Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  Sabbath programme  Individual settings  Cleaning and care  Stainless steel front with CleanSteel finish  Stainless steel oven compartment with linen structure and PerfectClean finish  Hinged grill element  External steam generator  Floor heater for condensate reduction  Soak maintenance programme  Oven compartment drying programme  Quick-release side racks  Removable side racks  Automatic descaling  CleanGlass door  Steam technology and water supply  DualSteam  Water reserve for approx. 90 minutes of cooking  Fresh water container  Condensate container behind motorised fascia panel  Drain filter  Appliance networking  Miole@home  MobileControl  SuperVision display  e   Ouer display  Page 1  Page 2  Page 3  Page 3  Page 4  Page 3  Page 4  P	Polyphonic audible signal tones	•
Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Actual temperature display Actual temperature display Posired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel MobileControl MobileControl SuperVision display  e  Possible Table Automatic descaled  programme  e  e  e  d  d  d  d  d  d  d  d  d  d	Time display	•
Minute minder Programmable start of cooking duration Programmable end of cooking duration Programmable cooking duration Actual temperature display Actual temperature display Posired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel MobileControl MobileControl SuperVision display  e  Possible Table Automatic descaled  programme  e  e  e  d  d  d  d  d  d  d  d  d  d	Date display	•
Programmable end of cooking duration Programmable cooking duration Actual temperature display Desired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Sabbath programme 1ndividual settings Programme Stainless steel front with CleanSteel finish Stainless steel front with CleanSteel finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Poven compartment drying programme Quick-release side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container Photome MobileControl SuperVision display  Pacific descaling New Cooking Programme Poven compartment drying programme Poven c		•
Programmable end of cooking duration Programmable cooking duration Actual temperature display Desired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Sabbath programme 1ndividual settings Programme Stainless steel front with CleanSteel finish Stainless steel front with CleanSteel finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Poven compartment drying programme Quick-release side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container Photome MobileControl SuperVision display  • CleanGlass door  Programmable  • Condensate container Powen tompartment Powen tompartment drying programme Powen to	Programmable start of cooking duration	•
Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  20  Sabbath programme  Individual settings  Cleaning and care  Stainless steel front with CleanSteel finish  Stainless steel oven compartment with linen structure and PerfectClean finish  Hinged grill element  External steam generator  Floor heater for condensate reduction  Soak maintenance programme  Oven compartment drying programme  Quick-release side racks  Removable side racks  Automatic descaling  CleanGlass door  Steam technology and water supply  DualSteam  Water reserve for approx. 90 minutes of cooking  Fresh water container  Condensate container  Appliance networking  Miele@home  MobileControl  SuperVision display   20  20  20  20  20  20  20  20  20		•
Actual temperature display  Desired temperature display  Audible signal when desired temperature is reached  Recommended temperature  User programmes  20 Sabbath programme  Individual settings  Cleaning and care  Stainless steel front with CleanSteel finish  Stainless steel oven compartment with linen structure and PerfectClean finish  Hinged grill element  External steam generator  Floor heater for condensate reduction  Soak maintenance programme  Oven compartment drying programme  Quick-release side racks  Removable side racks  Automatic descaling  CleanGlass door  Steam technology and water supply  DualSteam  Water reserve for approx. 90 minutes of cooking  Fresh water container  Condensate container behind motorised fascia panel  MobileControl  MobileControl  SuperVision display  •	·	•
Desired temperature display Audible signal when desired temperature is reached Recommended temperature User programmes 20 Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Vene compartment drying programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display		•
Audible signal when desired temperature is reached  Recommended temperature  User programmes  20 Sabbath programme  Individual settings  Cleaning and care Stainless steel front with CleanSteel finish  Stainless steel oven compartment with linen structure and PerfectClean finish  Hinged grill element  External steam generator  Floor heater for condensate reduction  Soak maintenance programme  Pinse maintenance programme  Oven compartment drying programme  Quick-release side racks  Removable side racks  Automatic descaling  CleanGlass door  Steam technology and water supply  DualSteam  Water reserve for approx. 90 minutes of cooking  Fresh water container  Condensate container behind motorised fascia panel  Drain filter  Appliance networking  Miele@home  MobileControl  SuperVision display		•
Recommended temperature User programmes 20 Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descalling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display	<u> </u>	•
Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Poven compartment drying programme Oven compartment drying programme Ouick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display  •		•
Sabbath programme Individual settings Cleaning and care Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Poven compartment drying programme Oven compartment drying programme Ouick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display  •	User programmes	20
Individual settings  Cleaning and care  Stainless steel front with CleanSteel finish  Stainless steel oven compartment with linen structure and PerfectClean finish  Hinged grill element  External steam generator  Floor heater for condensate reduction  Soak maintenance programme  Rinse maintenance programme  Oven compartment drying programme  Ouick-release side racks  Removable side racks  Automatic descaling  CleanGlass door  Steam technology and water supply  DualSteam  Water reserve for approx. 90 minutes of cooking  Fresh water container  Condensate container behind motorised fascia panel  Drain filter  Appliance networking  Miele@home  MobileControl  SuperVision display  •		•
Cleaning and care         Stainless steel front with CleanSteel finish       •         Stainless steel oven compartment with linen structure and PerfectClean finish       •         Hinged grill element       •         External steam generator       •         Floor heater for condensate reduction       •         Soak maintenance programme       •         Rinse maintenance programme       •         Oven compartment drying programme       •         Quick-release side racks       •         Removable side racks       •         Removable side racks       •         Automatic descaling       •         CleanGlass door       •         Steam technology and water supply       •         DualSteam       •         Water reserve for approx. 90 minutes of cooking       •         Fresh water container       •         Condensate container behind motorised fascia panel       •         Drain filter       •         Appliance networking       •         Miele@home       •         MobileControl       •         SuperVision display       •	. •	•
Stainless steel front with CleanSteel finish Stainless steel oven compartment with linen structure and PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Ouick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display		
PerfectClean finish Hinged grill element External steam generator Floor heater for condensate reduction Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display		•
External steam generator  Floor heater for condensate reduction  Soak maintenance programme  Rinse maintenance programme  Oven compartment drying programme  Quick-release side racks  Removable side racks  Automatic descaling  CleanGlass door  Steam technology and water supply  DualSteam  Water reserve for approx. 90 minutes of cooking  Fresh water container  Condensate container behind motorised fascia panel  Drain filter  Appliance networking  Miele@home  MobileControl  SuperVision display  •	•	•
Floor heater for condensate reduction  Soak maintenance programme  Rinse maintenance programme  Oven compartment drying programme  Quick-release side racks  Removable side racks  Automatic descaling  CleanGlass door  Steam technology and water supply  DualSteam  Water reserve for approx. 90 minutes of cooking  Fresh water container  Condensate container behind motorised fascia panel  Drain filter  Appliance networking  Miele@home  MobileControl  SuperVision display  •	Hinged grill element	•
Soak maintenance programme Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display  •	External steam generator	•
Rinse maintenance programme Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container endouse fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display	Floor heater for condensate reduction	•
Oven compartment drying programme Quick-release side racks Removable side racks Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display  •	Soak maintenance programme	•
Quick-release side racks       •         Removable side racks       •         Automatic descaling       •         CleanGlass door       •         Steam technology and water supply       •         DualSteam       •         Water reserve for approx. 90 minutes of cooking       •         Fresh water container       •         Condensate container behind motorised fascia panel       •         Drain filter       •         Appliance networking       •         Miele@home       •         MobileControl       •         SuperVision display       •	Rinse maintenance programme	•
Removable side racks  Automatic descaling  CleanGlass door  Steam technology and water supply  DualSteam  Water reserve for approx. 90 minutes of cooking  Fresh water container  Condensate container behind motorised fascia panel  Drain filter  Appliance networking  Miele@home  MobileControl  SuperVision display	Oven compartment drying programme	•
Automatic descaling CleanGlass door Steam technology and water supply DualSteam Water reserve for approx. 90 minutes of cooking Fresh water container Condensate container behind motorised fascia panel Drain filter Appliance networking Miele@home MobileControl SuperVision display	Quick-release side racks	•
CleanGlass door  Steam technology and water supply  DualSteam  Water reserve for approx. 90 minutes of cooking  Fresh water container  Condensate container behind motorised fascia panel  Drain filter  Appliance networking  Miele@home  MobileControl  SuperVision display	Removable side racks	•
Steam technology and water supply         DualSteam       •         Water reserve for approx. 90 minutes of cooking       •         Fresh water container       •         Condensate container behind motorised fascia panel       •         Drain filter       •         Appliance networking       •         Miele@home       •         MobileControl       •         SuperVision display       •	Automatic descaling	•
DualSteam  Water reserve for approx. 90 minutes of cooking  Fresh water container  Condensate container behind motorised fascia panel  Drain filter  Appliance networking  Miele@home  MobileControl  SuperVision display	CleanGlass door	•
Water reserve for approx. 90 minutes of cooking  Fresh water container  Condensate container behind motorised fascia panel  Drain filter  Appliance networking  Miele@home  MobileControl  SuperVision display	Steam technology and water supply	
Fresh water container  Condensate container behind motorised fascia panel  Drain filter  Appliance networking  Miele@home  MobileControl  SuperVision display	DualSteam	•
Condensate container behind motorised fascia panel  Drain filter  Appliance networking  Miele@home  MobileControl  SuperVision display  •  Condensate container behind motorised fascia panel  •  Appliance networking  Uservision display	Water reserve for approx. 90 minutes of cooking	•
Drain filter  Appliance networking  Miele@home  MobileControl  SuperVision display  •	Fresh water container	•
Appliance networkingMiele@home•MobileControl•SuperVision display•	Condensate container behind motorised fascia panel	•
Miele@home•MobileControl•SuperVision display•	Drain filter	•
MobileControl • SuperVision display •	Appliance networking	
SuperVision display •		•
SuperVision display •	MobileControl	•
	SuperVision display	•
	WiFiConn@ct	•



## DGC 7840 Gen 7000 Steam Combi



Safety	
Appliance cooling system and touch-cool front	•
Safety switch-off	•
System lock	•
Vapour cooling system	•
Sensor lock	•
Technical data	
XL oven compartment	•
Oven compartment volume in I	48
No. of shelf levels	3
Shelf level labelling	•
Door hinge	Bottom
Oven light	BrilliantLight
Oven temperature regulation in °C	30-225
Steam oven temperature regulation in °C	40-100
Niche width in mm	560-568
Niche height in mm	450-452
Niche depth in mm	550
Appliance width in mm	595
Appliance height in mm	456
Appliance depth in mm	572
Accessories supplied	
Universal tray with PerfectClean	1
Wire rack with PerfectClean	1
FlexiClip runners with PerfectClean	1 pair
Removable side racks with PerfectClean	1 pair
Perforated stainless steel cooking containers	2
Solid stainless steel cooking containers	1
Descaling tablets	2



DGC 7840 Gen 7000 Steam Combi





