

70cm black integrated rangehood with 370m³/hr extraction rate, LED lighting, 2 fan speed and dishwasher safe mesh filters.

RRP AUS \$569.00







# **Product Details**

#### **FEATURES**

| 370 m3/hr extraction rate | Long lasting LED lighting | 2 fan speed options | Dishwasher Safe mesh filters |
|---------------------------|---------------------------|---------------------|------------------------------|
| Slide controls            | Black finish              |                     |                              |

#### **BENEFITS**

Banish kitchen smoke and odours Keep your kitchen free from smoke and cooking odours with Chefs high extraction rate. Low energy and long lasting LED lighting A rangehood that lights up so you can cook with ease. Cook and see your meal clearly with our bright LED lighting that is both low energy and long lasting.

Dishwasher safe filters. Easy
The easy to remove rangehood filters can be washed safely in
the dishwasher for a mess-free clean up.

Control with ease
The user friendly and fuss free controls offer a simpler cooking experience.



# **Specifications**

## PRODUCT PROFILE

| Domestic warranty details (yrs) | 2                         |
|---------------------------------|---------------------------|
| Type of Rangehood               | integrated under cupboard |
| Nominal width                   | 700                       |
| Finish of Rangehood             | black                     |

#### MOTOR/FAN

| Number of fans        | 1          |
|-----------------------|------------|
| Number of fans speeds | 2          |
| Type of motor         | tangential |
| Perimeter extraction  | No         |
| Maximum airflow M3/Hr | 370        |
| Noise level dB high   | 63         |
| Noise level dB low    | 47         |
| Number of motors      | 1          |
| Wattage of motor      | 100        |

## **DIMENSIONS**

| Total product height (mm) | 200 |
|---------------------------|-----|
| Total product width (mm)  | 712 |
| Total product depth (mm)  | 304 |

## CONTROLS

| Control panel              | slide switch control              |
|----------------------------|-----------------------------------|
| Safety/ display indicators | auto thermal cutout safety switch |
| Hob2Hood function          | No                                |



#### **DIMENSIONS**

| Diameter of ducting (mm)   | 120 |
|--|-----|
| Minimum installation height from cooking surface Gas (mm)            | 650 |
| Minimum installation height<br>from cooking surface<br>Electric (mm) | 600 |
| Cut out width (mm)   | 655 |
| Cut out depth (mm)   | 276 |
| Cut out height (mm)  | 200 |

#### **FILTERS**

| Number of filters | 2  |
|-------------------|--|
| Type of filter    | multilayer aluminum<br>micromesh filters |
| Dishwasher safe   | Yes                                      |

#### **LIGHTS**

| Number of lights | 2   |
|------------------|-----|
| Wattage of light | 5.5 |
| Type of light    | LED |

# DUCTING / RECIRCULATION

| Ducting               | optional accessory |
|-----------------------|--------------------|
| Top or rear duct hole | top                |

## **SHIPPING**

| Shipping Volume (m3) | 0.0688 |
|----------------------|--------|
| Product Weight (Kg)  | 8.2    |



## **DUCTING / RECIRCULATION**

| Recirculation option                | Yes                |
|-------------------------------------|--------------------|
| Recirculation kit                   | optional accessory |
| Front recirculating option          | No                 |
| Type of filter                      | Carbon             |
| Filter                              | Optional           |
| Number of optional filters required | two                |
| Ducting diameter (mm)               | 120                |

# SHIPPING

| Pack Dimensions Height (mm) | 375 |
|-----------------------------|-----|
| Pack Dimension Width (mm)   | 770 |
| Pack Dimension Depth (mm)   | 235 |

## STUFFING QUANTITIES

| 20ft    | 474  |
|---------|------|
| 40ft    | 966  |
| 40ft HC | 1127 |



# **Terms and Conditions**

#### **IMPORTANT**

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

#### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

#### WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### **ELECTROLUX HOME PRODUCTS AUSTRALIA**

telephone: 1300 363 640 fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

**ELECTROLUX HOME PRODUCTS NEW ZEALAND** 

telephone: 09 573 2230 fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz