



60cm stainless steel canopy rangehood with 550 m<sup>3</sup>/hr extraction rate, LED lighting, push button controls and dishwasher safe mesh filters. RRP AUS \$349.00





# **Product Details**

FEATURES			
550 m3/hr extraction rate	Long lasting LED lighting	3 fan speed options	Dishwasher Safe mesh filters
Push button controls	Stainless steel finish		
BENEFITS			
Banish kitchen smoke and odours Keep your kitchen free from smoke and cooking odours with Chefs high extraction rate.			so you can cook with ease. Cook with our bright LED lighting that is
Dishwasher safe filters. Easy The easy to remove rangehood filters can be washed safely in the dishwasher for a mess-free clean up.		Control with ease The user friendly and fuss cooking experience.	free controls offer a simpler



# **Specifications**

# PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	wall mounted canopy
Design family (eline)	Chef
Nominal width	600
Finish of Rangehood	stainless steel

#### MOTOR/FAN

Number of fans	1
Number of fans speeds	3
Type of motor	centrifugal
Maximum airflow M3/Hr	550
Noise level dB high	55
Noise level dB low	48
Number of motors	1
Wattage of motor	140

10

## DIMENSIONS

Total product height (mm)	1240
Total product width (mm)	598
Total product depth (mm)	500
Diameter of ducting (mm)	120

## POWER

Connection plug	
-----------------	--



### DIMENSIONS

Minimum installation height from cooking surface Gas (mm)	650
Minimum installation height from cooking surface Electric (mm)	600
Maximum canopy chimney height (mm)	1240
Flue cover depth (mm)	166
Flue cover width (mm)	222

## CONTROLS

Control panel	push button
Safety/ display indicators	auto thermal cutout safety switch

### FILTERS

Number of filters	2
Type of filter	multilayer aluminum micromesh filters
Dishwasher safe	Yes

#### LIGHTS

Number of lights	2

Wattage of light

5.5

# DUCTING / RECIRCULATION

Ducting	optional accessory
Top or rear duct hole	top



### LIGHTS

Type of light

LED

# DUCTING / RECIRCULATION

STUFFING QUANTITIES

Recirculation option	Yes
Recirculation kit	optional accessory

### SHIPPING

Product Weight (Kg)	11.31
Pack Dimensions Height (mm)	590
Pack Dimension Width (mm)	680
Pack Dimension Depth (mm)	320

20ft	234
40ft	485
40ft HC	553



# **Terms and Conditions**

#### IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

#### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes theproducts that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours ofproducts illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

#### WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067 email: customercare@electrolux.com.au web: www.electrolux.com.au

#### ELECTROLUX HOME PRODUCTS NEW ZEALAND telephone: 09 573 2230 fax: 09 573 2221 email: customercare@electrolux.co.nz web: www.electrolux.co.nz