



**60 cm 4 burner gas cooktop in white enamel with battery ignition and flame failure safety device** RRP AUS \$499.00





# **Product Details**

### FEATURES

Easy clean white enamel	12.1 MJ/h wok burner	Battery cooktop ignition	
Simple and durable control panel graphics	LP Gas Conversion kit included LP Gas Conversion kit included. Must be installed to a licenced tradesperson.	у	
d the cooktop is made easy with n.	Side cooktop controls that a	ss re easy to use and positioned for o reach over hot pots and pans	
Flame Failure for kitchen safety Designed for extra kitchen safety, the Flame Failure feature will automatically shut off the gas supply if the flame is unexpectedly extinguished.		Easy to maintain Easy clean formed hob in an enamel finish makes this hob easy to maintain	
	Simple and durable control panel graphics	Simple and durable control panel graphics LP Gas Conversion kit included LP Gas Conversion kit included. Must be installed to a licenced tradesperson. Side controls for easy acce Side cooktop controls that a safety, so you never have t again. Sety afety, the Flame Failure feature Easy to maintain Easy clean formed hob in an	

Models with battery ignition to the hob means that no electrical connection is required making installation easy and fuss-free.



# **Specifications**

# **PRODUCT PROFILE**

Domestic warranty details (yrs)	2
Cooktop type	gas
Materials/Colour	white enamel
Knob Finish	silver

## DIMENSIONS

Total product height (mm)	58
Total product width (mm)	600
Total product depth (mm)	535
Cut out width (mm)	570
Cut out depth (mm)	490

# CONTROLS

Controls of Cooktops	knob
Position of controls	right hand side
Features of Cooktop	flame failure,Enamelled trivets

# FEATURES

Trivets	enamel
Ignition type	electronic

## **ELEMENTS/BURNERS**

### LEFT FRONT ZONE

Left front zone

rapid

## LEFT REAR ZONE

Left rear zone

semi-rapid



#### **RIGHT FRONT ZONE**

Right front zone

simmer

## **RIGHT REAR ZONE**

GAS SPECIFICATIONS

Right rear zone

semi-rapid

# ELECTRICAL SPECIFICATIONS

Connected load KW	0	Total burner output(NG)	35.2
Type of connection	not required	Position of gas connection	rear right

## SHIPPING

Shipping Volume (m3)	0.072
Shipping Weight (Kg)	9.8
Pack Dimensions Height (mm)	165
Pack Dimension Width (mm)	722
Pack Dimension Depth (mm)	600

# STUFFING QUANTITIES

20ft	378
40ft HC	855



# **Terms and Conditions**

#### IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

#### **PRODUCT INFORMATION**

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

#### WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067 email: customercare@electrolux.com.au web: www.electrolux.com.au ELECTROLUX HOME PRODUCTS NEW ZEALAND telephone: 09 573 2230 fax: 09 573 2221 email: customercare@electrolux.co.nz web: www.electrolux.co.nz