# N 70, Built-in warming drawer, 60 x 14 cm, Graphite N17HH10G0B



A warming drawer that fits like a glove - 14 cm installation height. Together with a 45 cm Compact oven it snuggles smoothly into the 60 cm niche

- $\checkmark\,$  Push & Pull open or close your drawer with a gentle tap on its seamless surface
- $\checkmark\,$  Installation with compact appliance combine your drawer with any 45 cm appliance

## Features

### Technical Data

Built-in / Free-standing : Built-in Color / Material Front : Graphite Maximum number of plates : 12 Maximum number of espresso cups : 64 Dimensions : 140 × 596 × 548 Dimensions of the packed product (HxWxD) (mm) : 210 × 660 × 660 Required niche size for installation (HxWxD) : 140 × 560 × 550 EAN code : 4242004254430 Electrical connection rating (W) : 810 Current (A) : 10 Voltage (V) : 220-240 Frequency (Hz) : 50-60 Plug type : GB plug



### Optional accessories

Z11SZ60G0 SeamlessCombination 45 + 14cm

# N 70, Built-in warming drawer, 60 x 14 cm, Graphite N17HH10G0B



### Features

#### Design

### Convenience

- Rotary Control
- User-friendly electronics: extremely easy and comfortable operation
- Heating plate made of toughened glass
- Cavity volume: 20 I usable litres
- Max weight up to 25 kg
- Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC
- Suitable for: Pre-warming of crockery, Keeping drinks and food warm, Dough proving, Defrosting, Slow cooking
- $\bullet$  Temperature control with 4 levels: 40 °C 80 °C (glass surface temperature)
- Push&Pull opening mechanism
- Length of mains cable: 150 cm
- Total connected load electric: 0.81 KW
- Nominal voltage: 220 240 V

## Dimensions

- Appliance dimensions (HxWxD): 140 mm x 596 mm x 548 mm
- Installation dimensions (HxWxD): 140 mm x 560 mm 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing

N 70, Built-in warming drawer, 60 x 14 cm, Graphite N17HH10G0B



