



86cm integrated rangehood in dark stainless steel with baffle filter, Hob2Hood, and maximum airflow of 710 m3/hr. RRP AUS \$1,699.00





Product Details

FEATURES

Fingerprint resistant dark stainless steel finish	Baffle filter	Hob2Hood technology	Max airflow of 710m3/h
Operation noise as low as 50dB(A)	Electronic pushbutton controls	Dishwasher safe filters	3 speed fan + Boost Function
LED lighting			

BENEFITS

The hands free hood

While you concentrate on the flavours, the innovative Hob2Hood feature will take care of keeping your kitchen fresh. The rangehood automatically turns on as soon as you start cooking, and intuitively adjusts the fan speed with your cooking. Maximise your airflow Remove odours and vapours quickly and efficiently with a high airflow rate of 710m3/h

Keep the noise down With noise levels as low as 53dB(A), keep the conversation going smoothly when entertaining guests.



Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	integrated
Nominal width	900
Finish of Rangehood	Dark stainless steel

MOTOR/FAN

Number of fans	2
Number of fans speeds	3
Variable speed control	Yes
Type of motor	tangential
Maximum airflow M3/Hr	710
Noise level dB high	67
Noise level dB low	50

DIMENSIONS

Total product height (mm)	329
Total product width (mm)	860
Total product depth (mm)	300
Diameter of ducting (mm)	150
Minimum installation height from cooking surface Gas (mm)	650

CONTROLS

Control panel	electronic push button
Safety/ display indicators	clean filter indicator,automatic safety cut off,auto thermal cutout safety switch
LED speed display	No
Hob2Hood function	Yes



DIMENSIONS

Minimum installation height 600 from cooking surface Electric (mm)

FILTERS

Number of filters	2
Type of filter	stainless steel baffle
Dishwasher safe	Yes

LIGHTS

Number of lights	2
Wattage of light	2
Type of light	LED

DUCTING / RECIRCULATION

Ducting	optional accessory
Top or rear duct hole	top
Recirculation option	Yes
Front recirculating option	No
Ducting diameter (mm)	150

SHIPPING

Shipping Volume (m3)	0.154
Shipping Weight (Kg)	10.5
Pack Dimensions Height (mm)	430
Pack Dimension Width (mm)	980
Pack Dimension Depth (mm)	365



Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous productdevelopment, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes theproducts that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products PtyLtd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours ofproducts illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640 fax: 1800 350 067 email: customercare@electrolux.com.au web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND telephone: 09 573 2230 fax: 09 573 2221 email: customercare@electrolux.co.nz web: www.electrolux.co.nz