



ZIP HYDROTAP MINIBOIL B CLASSIC TAP CHROME



BOILING

FILTERED

Order Code MB1717Z00

Zip HydroTap Miniboil, Boiling, Filtered water appliance featuring a stylish touch activated tap and a compact under bench command centre with externally mounted water filtration.



Manufacturing Code MB1717Z00

Capacity Residential

Tap Zip HydroTap Miniboil CLASSIC Tap (Chrome)

Water Pressure Min 170kPa - Max 700kPa

Water Connection 1/2" BSP (G1/2)

Water Supply Requirements Cold

Water Valves Integrated 500kPa Pressure limiting valve and Dual Check Valve

Power Rating 1.35kW 220-240V 50Hz

Power Supply 1 x 10 Amp socket outlet

Dimensions W212mm x D269mm x H338mm

Product Approvals WaterMark, RCM

Warranty 12 months

Installation Requirements

1. Installation and connection of your Zip HydroTap must be carried out by a qualified person, observing national and local regulations.
2. You will require suitable mains electrical and drinking water connections, plus waste water drainage all within 1.5 metres of the product.
3. HydroTap is air-cooled so discrete cabinetry cut-outs are required for ventilation.
4. Installation on most bench tops is straightforward however some stone bench tops may require a specialised cutting service.
5. If you live in a hard water area, we recommend installation of a Zip scale filtration kit.
6. Installation by Zip Professional Service can be arranged with a phone call or through www.zipwater.com

Installation Detail



