

The 8kg 3D-Scan technology heat pump dryer with AbsoluteCare System, 9 energy star rating, and Woolmark Blue accreditation.

RRP AUS \$2,799.00



Product Details

FEATURES

FiberPro System with 3DScan Technology. FiberPro System with 3DScan Technology sensor detects humidity on both the surface and the inside of garments.	ProTex Soft Drum Reverse tumbling action ensures better tumbling and airflow resulting in even drying and less creasing.	OKOFlow single filter system A single filter that is easy to reach and clean, maintaining drying effectiveness and the energy efficiency of your dryer.	Silk Program A specialised silk program where garments are held aloft in the cradle movement of the drum to ensure protection of your most delicate fabrics.
Outdoor Program	Inverter motor	Full reversible door Customise to your needs with four different handle positions.	LED drum light
Auto Off function			

BENEFITS

<p>3DScan Technology. Precision drying 3DScan Technology means that clothes are dried with precision and care. Confidently dry wool, silks, outdoor wear, shirts, trousers and even down jackets. Experience exceptional drying precision.</p>	<p>Precise protection for your clothes Programs in our unique AbsoluteCare System precisely control the movement and temperature of the drying drum. Woollens are kept flat against the drum to replicate flat drying. Outdoor garments are given just the right amount of heat to restore the full functionality of their waterproof membrane. Silks are held aloft in the cradle movement of the drum to protect from damage. Every fabric gets the right drum action and temperature to dry it completely whilst preserving their quality look and feel.</p>
--	---

Safe, low temperatures

SensiDry heat pump technology dries with low temperatures and uses precise sensors to monitor the drying cycle. This ensures that fabrics are never subject to unnecessary heat meaning your clothes will keep the textures they had for longer.

The gentle way to care for wool

The Woolmark Blue certification in drying will treat each item in the gentlest possible manner, meaning you can safely wash and dry all of your hand wash woollen garments.

A single filter for high efficiency

AEG dryers come with an efficient, single filter that is easy to reach and clean. The streamlined airflow dries every load seamlessly and maintains the dryers effectiveness and energy efficiency.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	5
Dryer Type	heat pump
Capacity (Kg)	8
Wall mount option	no

ENERGY

Energy Star Rating New	9
Energy Star Rating	9
Energy consumption (KWhr/yr)	177

DIMENSIONS

Total height (mm)	850
Total width (mm)	600
Total depth (mm)	663

CONTROLS

Type of controls	rotary,electronic interface,electronic push button
Options available	heat settings,crease free option,delay start,internal drum light,auto sensing,timer drying,reverse tumbling action,buzzer,anti-crease,eco,extra silent,Refresh,End Alert,Remote,Reverse Plus
Type of display	LCD

BUTTON FUNCTIONS

DRYING PROGRAMS

BUTTON FUNCTIONS

Reminder/ Indicators	clean lint filter reminder,empty water container,child safety lock door,end of cycle,drying,cooling,end/Anticrease,degree of dryness,program duration,extra laundry dryness,Refresh,Extra silent
Functions	power/on/off,Start/Pause,Anti crease,clean filter reminder,Child Lock,Delay Start,crease guard,auto off,Extra Silent,reverse tumbling drum action,LED drum light,Refresh,Eco,Dryness,Reverse Plus,End Alert

DRUM

Spin tub material	stainless steel
-------------------	-----------------

CABINET

Cabinet Colour	white
Cabinet material	painted galvanized steel

DRYING PROGRAMS

Drying Programs	timed programs,Cotton,Synthetic,Delicate,mixed load,Silk,bed linen,Duvet,outdoor,Wool,Eco Cotton,Favourite,App Program
Degree of dryness	extra,cupboard,iron dry

DOOR

Type	See through door
Dryer Door colour	silver
Door safety	door safety switch

TECHNICAL

Service cord length	1.45
Dryer Lint filter position	Single filter system
Buzzer	end of cycle
Dryer Element watts	0

TECHNICAL

Noise level dBA	63
-----------------	----

SHIPPING

Shipping Volume (m3)	.387
----------------------	------

Shipping Weight (Kg)	62
----------------------	----

Pack Dimensions Height (mm)	890
-----------------------------	-----

Pack Dimension Width (mm)	640
---------------------------	-----

Pack Dimension Depth (mm)	680
---------------------------	-----

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

Electrolux Home Products warrants that for domestic applications the AEG appliances featured are free from defects in materials and workmanship for 5 years (3 months warranty for commercial applications). All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 664

fax: 1800 350 067

email: customercare@aegaustralia.com.au

web: www.aeg.com/au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 0800 10 66 10

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.aeg.com/au