



CVA 7845

Built-in coffee machine with DirectWater Perfectly combinable design with CoffeeSelect + AutoDescale for highest demands.

- Large touch display with movement sensor – M Touch + MotionReact
- Individual coffee enjoyment with 3 bean containers – CoffeeSelect ⓘ
- Perfect care – fully automatic with AutoDescale and AutoClean ⓘ
- Perfectly positioned: Thanks to the patented CupSensor ⓘ
- Two coffees at once at the touch of a button – OneTouch for Two ⓘ



Special
Order
Only

Price: \$ 7,649.00** [Go to Shop](#)

** GST inclusive

[Find a store](#)

Product details - CVA 7845

Model and design

Built-in bean-to-cup coffee machine	•
VitroLine	•
ArtLine	•
Colour	Obsidian black

Convenience features

AromaticSystemFresh	•
CoffeeSelect	•
OneTouch preparation	•
OneTouch for Two preparation	• ⓘ
DoubleShot	•
Programmable User profiles	10
Aroma-friendly conical grinder	•
Selectable grinder setting	•
Programmable amount of coffee	•
Programmable amount of water	•
Programmable water temperature	•
Amount of milk can be programmed	•
Programmable amount of milk froth	•
Pre-brewing programmable	•



• beverage portion size in ml	20-300
Ristretto, single	• ⓘ

Ristretto, double	• ⓘ
Espresso, single	• ⓘ
Espresso, double	• ⓘ
Coffee, single	• ⓘ
Coffee, double	• ⓘ
Long coffee, single	• ⓘ
Long coffee, double	• ⓘ
Cappuccino, single	• ⓘ
Cappuccino, double	• ⓘ
Latte macchiato, single	• ⓘ
Latte macchiato, double	• ⓘ
Hot milk, single	• ⓘ
Hot milk, double	• ⓘ
Milk froth, single	• ⓘ
Milk froth, double	• ⓘ
Espresso macchiato, single	• ⓘ
Espresso macchiato, double	• ⓘ
Cappuccino italiano, single	• ⓘ
Cappuccino italiano, double	• ⓘ
Flat white, single	• ⓘ
Flat white, double	• ⓘ
Café au lait, single	• ⓘ
Café au lait, double	• ⓘ
Caffè latte, single	• ⓘ
Caffè latte, double	• ⓘ
Caffè americano, single	• ⓘ
Caffè Americano, double	• ⓘ
Long black, single	• ⓘ
Long black, double	• ⓘ
Warm water, single	•
Warm water, double	•
Hot water, single	•
Hot water, double	•
Black tea, single	• ⓘ
Black tea, double	• ⓘ
Herbal tea, single	• ⓘ
Herbal tea, double	• ⓘ
Fruit tea, single	• ⓘ
Fruit tea, double	• ⓘ
Green tea, single	• ⓘ
Green tea, double	• ⓘ
White tea, single	• ⓘ
White tea, double	• ⓘ
Japanese tea, single	• ⓘ
Japanese tea, double	• ⓘ
Chai latte, single	• ⓘ
Chai latte, double	• ⓘ
Coffee pot	•
Teapot	•

User convenience



Networking with Miele@home	• ⓘ
Touch	M Touch
Light sensor: light comes on when movement is detected	•
Light sensor: display comes on when movement is detected	•
CupSensor	•

	4
Height adjustable central spout, range in cm	-
	17
PerformanceMode	•
EasyClick milk container	• ⓘ
DirectWater	• ⓘ
ComfortDoor	•
Concealed door handle	•
BrilliantLight	• ⓘ
Brew unit lighting	•
MultiLingua	•
MyMiele	•
Help function	•
Number of bean types	3
Number of bean containers	3
	300
	/
Bean container capacity, each in g	150
	/
	150
Bean container capacity, total in g	600
Removable bean container	•
Capacity of water container in l	2.7
Milk container capacity in l	1
Capacity of waste container in capsules	17
Drip tray capacity in l	1.6
Easily accessible containers	•
Time of day display	•
Clock synchronisation	•
Date display	•
Programmable switch-on time	•
Programmable switch-off time	•
Programmable standby time	•
Programmable settings	•

Efficiency and sustainability



Energy-saving eco-mode selectable	•
Power rating in standby mode in W	1.0
Power rating in networked standby in W	1.4
Time until automatic switch to off mode in min	20
Time until automatic switch to standby in min	20
Time until automatic switch to networked standby in min	20

Cleaning convenience



AutoDescale	•
Manual descaling	•
AutoClean	•
Automatic rinsing of milk line with water from the water container	• ⓘ
Convenient cleaning programmes	•
Automatic rinsing function	•
ComfortClean	• ⓘ
Removable milk pipework	•
Removable brew unit	•
Removable water hardness	•



System lock

•

Technical data



	560
Niche width in mm	-
	568
	450
Niche height in mm	-
	452
Niche depth in mm	550
Appliance width in mm	595
Appliance height in mm	455
Appliance depth in mm	475
Depth with door open in cm	108.0
Total rated load in kW	1.5
Voltage in V	220-240
Fuse rating in A	10
Number of phases	1
Length of water inlet hose in m	1.5
Length of supply lead in m	2.0

Standard accessories



Milk container made of glass	•
Descaling cartridge	•
AutoCleaner	•

Installation sketch

Whether you want to replace a household appliance or planning a kitchen - under Downloads you will find all the relevant installation diagrams for your Miele appliance.

Downloads

** GST inclusive

Subject to technical changes; no liability accepted for the accuracy of the information given!

¹ Patent: EP 2705783 B1, US 201400060338 A1

² Patent: EP 2454977 B1

³ Additional digital offer from Miele & Cie. KG. All smart applications are made possible with the Miele@home system. The range of functions can vary depending on the model and the country.

