

Series 4, French Door Bottom freezer, multiDoor, 183 x 91 cm, Stainless steel (with anti-fingerprint) KFN96VPEAA



Included accessories

3 x egg tray
1 x ice cube tray

The refrigerator with VitaFresh Box: thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

- **VitaFresh XXL Pro 0°C:** climate-controlled compartments lock in freshness and nutrients for longer.
- **Glossy backwall with MultiAirflow:** evenly circulates cool, fresh air to maintain consistent temperatures.
- **NoFrost:** you'll never have to defrost your fridge-freezer again.
- **LED light:** illuminates the refrigerator evenly without glare.
- **XXL capacity:** extra space to store more food items due to the slightly wider build.

Technical Data

Energy Efficiency Class: E
Annual energy consumption AU: 395 kWh
Freezer Net capacity: 200 l
Refrigerator Net capacity: 405 l
Airborne acoustical noise emissions: 38 dB(A) re 1 pW
Noise level class: C
Built-in / Free-standing: Freestanding
Door panel options: Not possible
Height: 1830 mm
Width of the appliance: 910 mm
Depth of the product: 731 mm
Net weight: 117.8 kg
Fuse protection: 10 A
Door hinge: left and right
Voltage: 220-240 V
Frequency: 50 Hz
Approval certificates: Australia Standards
Length electrical supply cord: 240 cm
Storage Period in Event of Power Failure (h): 15 h
Number of compressors: 1
Number of independent cooling systems: 1
Interior ventilator: Yes
Reversible Door Hinge: No
Number of Adjustable Shelves in fridge compartment: 2
Shelves for Bottles: No
Installation typology: N/A
Type of hinge: Flush-folding
Annual energy consumption AU: 395 kWh



Series 4, French Door Bottom freezer, multiDoor, 183 x 91 cm, Stainless steel (with anti-fingerprint) KFN96VPEAA

The refrigerator with VitaFresh Box: thanks to the cooling compartment, your fruits and vegetables stay fresh longer.

- No Frost, French door fridge freezer
- Freestanding Freezer with Stainless steel doors with EasyClean finish

Performance & Consumption

- MultiAirflow system - Minimises fluctuating temperatures by ensuring optimal and uniform air circulation in the fridge
- Total Volume : 605 l
- Net Fridge Volume : 405 l
- Net Freezer Volume : 200 l
- Annual Energy Consumption: 395 kWh
- Climate Class: SN-T
- Fast Freeze
- Noise Level : 38 dB

Finish

- Stainless steel doors with EasyClean finish doors and Metallic chrome side panels

Design

- LED interior light in fridge section
- White glossy backwall with Multi-Airflow
- Interior design with metal trims

Convenience & Safety

- Electronic temperature control with independent controls for fridge and freezer
- SuperCooling Function - Automatically brings down the temperature of the refrigerator to cool new groceries rapidly
- Automatic defrost in fridge section
- Child lock
- Acoustic door open alarm, Optical warning system Door open
- Acoustic Warning System, Optical Warning System by Temperatur increase

Shelving & Compartments

- FrostFree MultiAirflow system
- 3 safety glass shelves of which 2 are height adjustable, Standard 2 shelves extendable
- 2 door bin(s) large, 2 door bin(s) small
- Egg rack
- 1 VitaFresh ◀0°C▶ drawer - Fish and meat stay fresh
- 1 VitaFresh drawer on rails with humidity control - Fruits and vegetables retain vitamins and stay fresh for longer.

Freezer Compartment

- Freezer: 2 transparent drawers with telescopic rails
- Ice cube tray

Dimensions

- Dimensions (H x W x D): 1830 mm x 910 mm x 731 mm

Technical Information

- 4 wheels for easier transport, 3 of them height adjustable.
- Voltage 220 - 240 V



Accessories

- 3 x egg tray, 1 x ice cube tray


Comfort

- LED interior light lighting
- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

**Series 4, French Door Bottom freezer,
multiDoor, 183 x 91 cm, Stainless steel (with
anti-fingerprint)
KFN96VPEAA**



A: Front is adjustable from 1830 to 1847,
with front levelling feet fully extended



A: Front is adjustable from 1830 to 1847,
with front levelling feet fully extended
B: Add 25 for fixed spacers on back

