



Sirius

universal ducting
SOLUTIONS

Effective DEC 2022

EasyKIT

STOP

6 Year Warranty

when Sirius ducting is used on a Sirius Hood



DO NOT use flexible ducting on your high performance rangehood!

Use of any ducting material not suited for rangehood application may void your customer warranty. This is due to the fact that flexible ducting can create additional noise and dramatically reduce the extraction rate of your high powered kitchen rangehood.

Ducting warranty:

- 6 years on **ducting** when used with Sirius rangehood.
- 3 years on **ducting** when used without Sirius rangehood.

Don't let the wrong ducting ruin the performance of your rangehood.

If in doubt,

DIAL before you DUCT

1300 762 219 (Australia Only)

www.siriusbrand.com



CHOOSING YOUR EASYKIT



- 1 DIAMETER OF RANGEHOOD DUCTING
- 2 TYPE OF INSTALLATION - TILED OR METAL ROOF
- 3 CHOOSE YOUR KIT


Note: All EasyKits can be used with an SEM1/SEM11 motor (150mm ducting diameter) and SEM8/SEM81 Motor (200mm ducting diameter). You will need to order addition URC25 Universal Ring Clamps.

EASYEAVE-125	Suitable for 125mm Eave Vented R/Hoods	\$99
Inventory ID	Description	
SR30-125	0.8MM THICK, 3.0M SEMI RIGID DUCTING -125MM	
URC25-215	UNIVERSAL GALVANISED STEEL RING CLAMPS x 2	
SCV-125	ROUND LOUVRE GRILL WITH CURVED BLADES	




SCV-125 ROUND VENT FOR EAVE DUCT


EASYWALL-125	Suitable for 125mm Wall Vented R/Hoods	\$119
Inventory ID	Description	
SR30-125	0.8MM THICK, 3.0M SEMI RIGID DUCTING -125MM	
URC25-215	UNIVERSAL GALVANISED STEEL RING CLAMPS x 2	
SDV-125	EXTERNAL FIXED LOUVRE WALL VENT DOME - 125MM	



SDV-125 DOME VENT FOR WALL DUCT



ROOF KITS



WALL/EAVE KITS

EASYROOF-150M	Suitable for 125/150mm Metal Roof Vented R/Hoods	\$285
Inventory ID	Description	
GDR125 150	GALVANISED STEEL DUCT ADAPTER 125/150MM	
SRPRO30-150	3M SEMI RIGID DUCT	
URC25-215	UNIVERSAL GALVANISED STEEL RING CLAMPS x 2	
GDC-150	GALVANISED STEEL INTERNAL DUCT CONNECTOR x 2	
GP10-150	1M GALVANISED STEEL RIGID DUCTING	
GBS-150	GALVANISED STEEL (PERFORATED) BRACING STRAP	
GRC-150M	ROOF COWL STAINLESS STEEL 150MM	
MRF-G102	METAL ROOF PIPE FLASHING 275X275	

EASYWALL-150	Suitable for 125/150mm Wall Vented R/Hoods	\$199
Inventory ID	Description	
SRPRO30-150	3M SEMI RIGID DUCT	
URC25-215	UNIVERSAL GALVANISED STEEL RING CLAMPS x 2	
GDR125 150	GALVANISED STEEL STEEL DUCT ADAPTER 125/150MM	
SLV-150	STAINLESS STEEL FIXED LOUVRE WALL VENT	

EASYROOF-150T	Suitable for 125/150mm Tiled Roof Vented R/Hoods	\$285
Inventory ID	Description	
GDR125 150	GALVANISED STEEL DUCT ADAPTER 125/150MM	
SRPRO30-150	3M SEMI RIGID DUCT	
URC25-215	UNIVERSAL GALVANISED STEEL RING CLAMPS x 2	
GDC-150	GALVANISED STEEL INTERNAL DUCT CONNECTOR x 2	
GP10-150	1M GALVANISED STEEL RIGID DUCTING	
GBS-150	GALVANISED STEEL (PERFORATED) BRACING STRAP	
GRC-150M	ROOF COWL STAINLESS STEEL 150MM	
TRF-G075	TILED ROOF PIPE FLASHING	

EASYEAVE-150	Suitable for 125/150mm Eave Vented R/Hoods	\$199
Inventory ID	Description	
SRPRO30-150	3M SEMI RIGID DUCT	
URC25-215	UNIVERSAL GALVANISED STEEL RING CLAMPS x 2	
GDR125-150	GALVANISED STEEL STEEL DUCT ADAPTER 125/150MM	
SEV-150	STAINLESS STEEL MESH EAVE VENT	

EASYROOF-200M	Suitable for 200mm Metal Roof Vented R/Hoods	\$359
Inventory ID	Description	
SRPRO30-200	3M SEMI RIGID DUCT	
URC25-215	UNIVERSAL GALVANISED STEEL RING CLAMPS x 2	
GDC-200	GALVANISED STEEL INTERNAL DUCT CONNECTOR x 2	
GP10-200	1M GALVANISED STEEL RIGID DUCTING	
GBS-150	GALVANISED STEEL (PERFORATED) BRACING STRAP	
GRC-200M	ROOF COWL STAINLESS STEEL 200MM	
MRF-G178	MET ROOF PIPE FLASHING 435X435	

EASYWALL-200	Suitable for 200mm Wall Vented R/Hoods	\$239
Inventory ID	Description	
SRPRO30-200	3M SEMI RIGID DUCT	
URC25-215	UNIVERSAL GALVANISED STEEL RING CLAMPS x 2	
SDV-200	STAINLESS STEEL FIXED LOUVRE DOME WALL VENT	

EASYROOF-200T	Suitable for 200mm Tiled Roof Vented R/Hoods	\$359
Inventory ID	Description	
SRPRO 30-200	3M SEMI RIGID DUCT	
URC25-215	UNIVERSAL GALVANISED STEEL RING CLAMPS x 2	
GDC-200	GALVANISED STEEL INTERNAL DUCT CONNECTOR x 2	
GP10-200	1M GALVANISED STEEL RIGID DUCTING	
GBS-150	GALVANISED STEEL (PERFORATED) BRACING STRAP	
GRC-200M	ROOF COWL STAINLESS STEEL 200MM	
TRF-G203	TILED ROOF PIPE FLASHING	





NEED TO TAILOR YOUR INSTALLATION?

SIRIUS OFFER INDIVIDUAL DUCTING COMPONENTS, CATERING TO ALL TYPES OF RANGE HOOD INSTALLATION.

PLEASE SEE NEXT PAGE FOR A COMPREHENSIVE LIST OF INDIVIDUAL PARTS.



SIRIUS DUCTING INDIVIDUAL COMPONENTS

Image	Model	Description	Diameter	Qty.	RRP
Duct Pieces 	SR30-125	0.8mm Thick, 3.0m Semi Rigid Ducting - 125mm	125mm		\$32.00
	SRPL30-125	1.2mm Thick, 3.0m Semi Rigid PLUS Ducting - 125mm	125mm		\$36.00
	SRPRO30-300	1.2mm Thick, 3.0m Semi Rigid PLUS Ducting - 300mm	300mm		\$159.00
	SRPRO30-150	1.5mm Thick, 3.0m Semi Rigid PRO Ducting - 150mm	150mm		\$65.00
	SRPRO30-200	1.5mm Thick, 3.0m Semi Rigid PRO Ducting - 200mm	200mm		\$85.00
	GP12-125	1.2m Galvanised Steel Solid Duct Pipe - 125mm	125mm		\$59.00
	GP12-150	1.2m Galvanised Steel Solid Duct Pipe - 150mm	150mm		\$99.00
	GP12-200	1.2m Galvanised Steel Solid Duct Pipe - 200mm	200mm		\$119.00
	GP12-300	1.2m Galvanised Steel Solid Duct Pipe - 300mm	300mm		\$149.00
Connectors, Reducers & Elbows 	GE45-125	45 degree Elbow Galvanised Steel - 125mm	125mm		\$28.00
	GE45-150	45 degree Elbow Galvanised Steel - 150mm	150mm		\$49.00
	GE45-200	45 degree Elbow Galvanised Steel - 200mm	200mm		\$55.00
	GE90-125	90 degree Elbow Galvanised Steel - 125mm	125mm		\$30.00
	GE90-150	90 degree Elbow Galvanised Steel - 150mm	150mm		\$49.00
	GE90-200	90 degree Elbow Galvanised Steel - 200mm	200mm		\$59.00
	GE90-300	90 degree Elbow Galvanised Steel - 300mm	300mm		\$89.00
	GDC-125	Internal Duct Connectors Galvanised Steel / Rubber Gaskets - 125mm	125mm		\$11.00
	GDC-150	Internal Duct Connectors Galvanised Steel / Rubber Gaskets - 150mm	150mm		\$19.00
	GDC-200	Internal Duct Connectors Galvanised Steel / Rubber Gaskets - 200mm	200mm		\$29.00
	GDC-300	Internal Duct Connectors Galvanised Steel / Rubber Gaskets - 300mm	300mm		\$35.00
	GDC-125E	External Duct Connectors Galvanised Steel - 125mm	125mm		\$12.50
	GDC-150E	External Duct Connectors Galvanised Steel - 150mm	150mm		\$22.00
	GDC-200E	External Duct Connectors Galvanised Steel - 200mm	200mm		\$32.00
	GDR125/150	Duct 125 to 150mm Transition Piece - Galvanised Steel - 125/150mm	125mm		\$49.00
	GDR150/200	Duct 150 to 200mm Transition Piece - Galvanised Steel - 150/200mm	150mm		\$69.00
	GDR200/300	Duct 200 to 300mm Transition Piece - Galvanised Steel - 200/300mm	200mm		\$79.00
GDRO125/150	Offset Duct 125 to 150mm Transition Piece - Galvanised Steel - 125/150mm	125mm		\$49.00	
GDRO150/200	Offset Duct 150 to 200mm Transition Piece - Galvanised Steel - 150/200mm	150mm		\$69.00	
URC25-215	Universal Ring Clamps (pair) - 25mm-215mm Diameter				\$18.00
URC25-325	Universal Ring Clamps (pair) 25mm-325mm Diameter				\$24.00
Vents & Cowls 	GRC-125	Roof Cowl - Stainless Steel - 125mm	125mm		\$49.00
	GRC-150M	Roof Cowl - Stainless Steel - 150mm	150mm		\$69.00
	GRC-200M	Roof Cowl - Stainless Steel - 200mm	200mm		\$99.00
	GRC-300	Roof Cowl - Stainless Steel - 300mm	300mm		\$159.00
	FL150-RSB	Rectangular Fixed Louvre Grill with Std Blades 285mmx215mm	150mm		\$89.00
	FL150-RSBA	Rectangular Fixed Louvre Grill with Std Blades 285mmx215mm - Anodised	150mm		\$89.00
	FL150-RSBW	Rectangular Fixed Louvre Grill with Std Blades 285mmx215mm - White	150mm		\$89.00
	FL150-SSBW	Square Fixed Louvre Grill with Std Blades 215mmx215mm - White	150mm		\$89.00
	SDV-125	Stainless Steel External Fixed Louvre Wall Vent Dome Rain Guard - 125mm	125mm		\$49.00
	SDV-150	Stainless Steel External Fixed Louvre Wall Vent Dome Rain Guard - 150mm	150mm		\$89.00
	SDV-200	Stainless Steel External Fixed Louvre Wall Vent Dome Rain Guard - 200mm	200mm		\$109.00
	SLV-125	Stainless Steel External Fixed Louvre Wall - 125mm	125mm		\$59.00
	SLV-150	Stainless Steel External Fixed Louvre Wall Vent-150mm	150mm		\$79.00
	SSV-125	Stainless Steel External Louvre with Swing Vent and Insect Mesh	125mm		\$49.00
	SEV-125	Round Stainless Steel Eave Vent with Insect Mesh - 125mm	125mm		\$39.00
	SEV-150	Round Stainless Steel Eave Vent with Insect Mesh - 150mm	150mm		\$69.00
	SEV-200	Round Stainless Steel Eave Vent with Insect Mesh - 200mm	200mm		\$99.00
SCV-125	Round Louvre Grill with Adjustable Curved Blades	125mm		\$49.00	
SCV-150	Round Louvre Grill with Adjustable Curved Blades	150mm		\$59.00	
Flashing & Accessories 	MRF-G102	Metal Roof - Pipe Flashing (suits Dia. 102-178mm) base size 275x275mm			\$59.00
	MRF-G178	Metal Roof - Pipe Flashing (suits Dia. 178-300mm) base size 435x435mm			\$99.00
	TRF-G075	Tiled Roof - Pipe Flashing (suits Dia. 75-203mm) base size 505x505mm			\$99.00
	TRF-G203	Tiled Roof - Pipe Flashing (suits Dia. 203-330mm) base size 850x720mm			\$179.00
	GBS-150	Galvanised Steel (Perforated) Bracing Strap 19mmx1.5m			\$5.00
SEM 10 & SEM 12 optional rectangular ducting pieces	SPS-66102291000	1000mm Length ducting piece rectangular 220 x 90			\$49.00
	SPS-66101020229	Length to length connector - 44mm			\$26.00
	SPS-66101000022	Rectangular to 150mm round - 90 degree adaptor			\$39.00
	SPS-66101010229	Rectangular to rectangular 90 degree adaptor			\$36.00
	SPS-66101030229	Rectangular to 150mm diameter round straight-run adaptor			\$39.00
	SPS-66101030200	Rectangular to 200mm diameter round straight-run adaptor			\$44.00
	SPS-66101000229	Rectangular to rectangular 90 degree HORIZONTAL adaptor			\$39.00
	SPS-66101040229	Unit outlet (rangehood) to rectangular ducting adaptor			\$29.00



YOUR EASYKIT


WHAT'S IN THEM & WHERE DOES IT ALL GO?

Using Sirius ducting provides you the best possible outcome:

1. Lowest noise level
2. Best quality air flow
3. Optimum performance of rangehood

The illustrations below are basic examples of the main installation methods used to vent rangehoods. These images are aligned with the components supplied in our **EasyKIT's** and where each piece fits.

EasyKIT



EASY ROOF KIT



A Galvanised Steel Roof Cowl



B Roof Flashing Included

C 1m Galv. Steel Rigid Duct



D Universal Ring Clamps



E Internal Duct Connectors



F 3m Semi Rigid Ducting




G Bracing Strap



* Internal Duct Adapter. Suitable for 125mm Applications

EasyKIT's! Why So Easy?
EasyKIT's pre-packaged kits makes your ducting solution simple.



EASY WALL/EAVE KIT



A Stainless Steel Eave Vent (Eave Kit Only)

B 3m Semi Rigid Ducting



C Universal Ring Clamps



D Stainless Steel Wall Vent (Wall Kit Only)



* Internal Duct Adapter. Suitable for 125mm Applications

* Internal duct adapters are used to increase diameter of 125mm vented rangehoods to 150mm

SEMI-RIGID DUCTING

- 4-Zero fire rated to 250° C and meeting all current criteria for relevant Australian and New Zealand standards.
- Available in unique Semi-Rigid Plus (1.2mm thick) or Semi-Rigid PRO (1.5mm thick) to minimise noise.
- Compressed to around one metre for convenient shipping and storage, and can stretch out to 3 metres for effective installation.

Please Note: The overall length of recommended ducting is reduced with each bend as much as 0.5 metres with each 90° bend. Please allow for this when working out exactly what duct length is required for your situation and needs.

Use of any ducting material not suited for rangehood applications may void your customer warranty.

6 Year Warranty

on your Sirius rangehood when Sirius ducting is used.
Full replacement warranty on parts and labour.
See website for terms and conditions.
(3 years on rangehood + 3 years when Sirius ducting is used)

ARISIT PTY LIMITED

(Australia)

ABN 23 091 515 294
40-50 Mark Anthony Drive
Dandenong South VIC 3175

P: Sales: 1300 762 219
Service: 1300 762 219

F: Sales & Service
(03) 9768 0838

E: arisit@arisit.com

ARISIT PTY LIMITED

(New Zealand)

1A Howe Street Newton,
Auckland 1145

PO Box 68-140 Newton,
Auckland 1145

P: (09) 306 1020

F: (09) 302 0077

E: sales2@aristonappliances.co.nz

WWW.ARISIT.COM

Sirius Hoods and ducting products are only available from our select group of Sirius Professional Stockists nationwide. For the latest list of Sirius Stockists near you, please refer to:

www.siriusbrand.com

All efforts have been made to ensure that the information provided in this brochure is correct at the time of printing. Due to continuous product improvement and ongoing development, Sirius reserves the right to make changes to the products and technical data without prior notice. Some products appearing in this brochure may be for illustrative purposes only. Diagrams are indicative measures only. Prior to commencing cabinetry cutouts the operating/installation instructions accompanying the product must be referred to.