

iQ700, Built-in warming drawer, 60 x 14 cm, Black BI910C1B1

The intelligent touchControl multifunctional warming drawer with Home Connect for control at any time from anywhere.

- ✓ Slow cooking: for slow and gentle cooking at a low temperature.
- ✓ Keep warm: for keeping cooked dishes warm.
- ✓ push&pull No-handle drawer that's easy to open and close.
- ✓ Intuitive touch control
- \checkmark Home Connect Control the multifunctional warming drawer at any time from wherever you want.





Feature

Technical Data

Color / Material Front : Black Built-in / Free-standing : Built-in

Dimensions (HxWxD) : 140 x 594 x 518 mm

Dimensions of the packed product (HxWxD) : $260 \times 650 \times 700$ mm Min. required niche size for installation (HxWxD) : $140 \times 560 \times 550$

mm

Maximum number of plates : 12 Maximum number of espresso cups : 64

Net weight: 18.8 kg Gross weight: 20.8 kg EAN code: 4242003910276 Fuse protection: 10 A Voltage: 220-240 V Frequency: 50; 60 Hz





iQ700, Built-in warming drawer, 60 x 14 cm, Black BI910C1B1

Features

 Multifunctional warming drawer with the heating functions: Low temperature cooking, Keep Warm, plate warming, cup warming

Design

- User-friendly electronics: extremely easy and comfortable operation
- Heating plate made of toughened glass
- Cavity volume: 20 I usable litres
- Max weight up to 25 kg
- Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC

Convenience

- \bullet Temperature control with 4 levels: 30 °C 80 °C (glass surface temperature)
- Handleless push&pull opening mechanism
- Touch key operation
- Touch Control illuminated

Technical Info

- Length of mains cable: 175 cm
- Total connected load electric: 0.82 KW
- Nominal voltage: 220 240 V


Dimensions


- Appliance dimensions (HxWxD): 140 mm x 594 mm x 518 mm
- Installation dimensions (HxWxD): 140 mm x 560 mm 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing



iQ700, Built-in warming drawer, 60 x 14 cm, Black BI910C1B1

Dimensioned drawings





A: 7.5 mm

Compact ovens with appliance height of 455 mm can be installed above the warming drawer without an intermediate floor