


SEM1

INTERNAL MOTOR



let's get
Sirius
with rangehood design



INTERNAL MOTOR

Features and Benefits:

SEM1 INTERNAL

- Motor: 1200 m³/h extraction
- Aluminium die-cast motor housing
 - Absorption: 265W
 - Pressure: 480 Pa
 - Noise level 64 dBA
 - **Ducting 150mm**

Distributed by Arisit Pty Ltd



40-44 Mark Anthony Drive, Dandenong South VIC 3175 Ph: 1300 762 219 Fax: 03 9768 0838 Website: www.arisit.com

SEM1

INTERNAL MOTOR



let's get
Sirius
with rangehood design



Technical Specifications:

MODEL	SEM 1
MOTOR	German Made
EXTRACTION	1200 m3/h extraction
DUCTING DIAMETER	Ducting 150mm
NOISE	64dBa
PRODUCT DIMENSIONS	WIDTH 302/ HEIGHT 255 / DEPTH 302

WARNING: technical specifications and product sizes can be varied by the manufacturer, without notice. Cut outs for appliances should only be by physical product measurements. The above information is indicative only.

Distributed by Arisit Pty Ltd

40-44 Mark Anthony Drive, Dandenong South VIC 3175 Ph: 1300 762 219 Fax: 03 9768 0838 Website: www.arisit.com

SEM2 XS316

EXTERNAL MOTOR



EXTERNAL MOTOR

Features and Benefits:

SEM2 XS316 EXTERNAL



- Motor: 1200 m3/h extraction
- XS316 Marine Grade steel
- Aluminium die-cast motor housing
 - Absorption: 265W
 - Pressure: 480 Pa
 - Noise level 64 dBA
 - **Ducting 150mm**

Distributed by Arisit Pty Ltd

40-50 Mark Anthony Drive, Dandenong South VIC 3175 Ph: 1300 762 219 Fax: 03 9768 0838 Website: www.arisit.com

SEM2 XS316

EXTERNAL MOTOR



Grate must be facing downwards

Technical Specifications:

MODEL	SEM 2 XS316
MOTOR	German Made
EXTRACTION	1200 m3/h extraction
DUCTING DIAMETER	Ducting 150mm: Unit must be installed at (min) 500mm—2 metres (max) above ground level.
NOISE	64dBa
PRODUCT DIMENSIONS	WIDTH 450mm x HEIGHT 450mm x DEPTH 148mm

WARNING: technical specifications and product sizes can be varied by the manufacturer, without notice. Cut outs for appliances should only be by physical product measurements. The above information is indicative only.

Distributed by Arisit Pty Ltd

40-50 Mark Anthony Drive, Dandenong South VIC 3175 Ph: 1300 762 219 Fax: 03 9768 0838 Website: www.arisit.com

SEM 5 XS316

EXTERNAL MOTOR



Sirius



EXTERNAL MOTOR

Features and Benefits:

SEM5 XS316 EXTERNAL

- Motor: 1200 m3/h extraction
- XS316 Marine Grade steel
- Aluminium die-cast motor housing
 - Absorption: 265W
 - Pressure: 480 Pa
 - Noise level 64 dBA
- **Ducting 150mm (circular)**
- **FLASHING NOT INCLUDED**

Distributed by Arisit Pty Ltd



40-50 Mark Anthony Drive, Dandenong South VIC 3175 Ph: 1300 762 219 Fax: 03 9768 0838 Website: www.arisit.com

SEM 5 XS316

EXTERNAL MOTOR



Sirius



Canopy Install

Technical Specifications:

MODEL	SEM 5 XS316
MOTOR	German Made
EXTRACTION	1200 m3/h extraction
DUCTING DIAMETER	Ducting 150mm
NOISE	64dBa
PRODUCT DIMENSIONS	WIDTH 300 HEIGHT 390 DEPTH 450

WARNING: technical specifications and product sizes can be varied by the manufacturer, without notice. Cut outs for appliances should only be by physical product measurements. The above information is indicative only.

Distributed by Arisit Pty Ltd

40-50 Mark Anthony Drive, Dandenong South VIC 3175 Ph: 1300 762 219 Fax: 03 9768 0838 Website: www.arisit.com