

iQ700, Built-in compact oven with microwave function, 60 x 45 cm, Black CM976GMB1B







Included accessories

1 x combination grid

1 x universal pan

Optional accessorie

HZ636000 Glass pan

HZ631070 Baking tray, anthracite enamelled HZ617000 Pizza pan, anthracite enamelled

HZ327000 Baking stone

The intelligent varioSpeed microwave oven with Oven Assistant with Voice Control for intuitive programme setting and activeClean for effortless oven cleaning.

- ✓ TFT-Touchdisplay Plus Smooth-touch navigation for simple and intuitive operation.
- ✓ activeClean® The automatic, self-cleaning oven system.
- ✓ varioSpeed Prepare excellent dishes up to 50% faster.
- ✓ Easy and safe handling of trays and racks telescopic rail system (one level).
- ✓ roastingSensor Plus Perfect roasting results.

Feature

Technical Data

Type of micro-wave oven: MW-Combi Color / Material Front: Black Built-in / Free-standing: Built-in Cleaning: Pyrolytic+Hydrolytic Control Panel Material: Glass Colour.Material door: Black

Dimensions (HxWxD): 455 x 594 x 548 mm

Dimensions of the packed product (HxWxD) : $520 \times 680 \times 670$ mm Min. required niche size for installation (HxWxD) : $450-455 \times 560-568$

x 550 mm

Cavity dimensions: 237.0 x 480 x 392.0 mm

Cavity capacity: 45 l

Maximum micro-wave power : 900 W

Number of interior lights: 1
Net weight: 35.6 kg
Gross weight: 39.0 kg
EAN code: 4242003901403
Connection Rating: 3600 W
Fuse protection: 16 A
Voltage: 220-240 V
Frequency: 50; 60 Hz

Length electrical supply cord: 150.0 cm





iQ700, Built-in compact oven with microwave function, 60 x 45 cm, Black CM976GMB1B

Features

Heating Functions

- Compact oven with microwave with 19 heating methods: 4D
 HotAir, Top/ bottom heating, Hot air grilling, Full width grill, Half
 width grill, Pizza setting, coolStart (deep-frozen food special),
 Bottom heating, Low temperature cooking, Plate warming
 setting, Keep Warm, Hotair gentle, Conventional heat gentle, Pure
 microwave, 4D hotair + microwave, Top/bottom heat + microwave,
 grill + microwave, half width grill + microwave, hotair grilling +
 microwave
- Max. Power: 900 W; 5 Microwave power settings (90 W,180 W,360 W,600 W, boost) with Inverter (MW)
- Intelligent inverter technology: maximum output power will be regulated to 600 W when used in longer operation
- Temperature range 30 °C 300 °C

Hook-in racks / rails

- Number of shelf levels: 3
- 1 level telescopic shelf, pyrolitic proof

Design

- Cavity volume: 45 net usable litres
- Anthracite enamel cavity with 3 shelf levels
- studioLine Black Steel Design
- Touch control
- studioLine Glass handle

Cleaning

- \bullet activeClean® automatic pyrolytic self-cleaning function with automatic safety door lock
- humidClean Plus program easy cleaning of a lightly soiled oven cavity

Convenience

- TFT-Touchdisplay Plus
- Temperature proposal, Residual heat indicator, Actual temperature display, Meat probe function
- roastingSensor Plus
- cookControl Pro
- HomeConnect
- Oven Assistant with Voice Control
- coolStart eliminates preheating for frozen foods
- Automatic rapid heat up
- Drop down door
- Integrated cooling fan
- LED lighting
- Electronic clock and timer

Accessories

• 1 x combination grid, 1 x universal pan

Safety and Environment

- Quadruple glazed door with heat reflective glass
- Maximum door temperature 30° C
- Automatic door lock during pyrolysis, Child lock function, Automatic safety switch-off function, Residual heat indicator, Start button, Door contact switch

Technical Info

Length of mains cable: 150 cmNominal voltage: 220 - 240 V

• Total connected load electric: 3.6 KW

Dimension

- Appliance dimensions (HxWxD): 455 mm x 594 mm x 548 mm
- Installation dimensions (HxWxD): 450 mm 455 mm x 560 mm 568 mm x 550 mm
- Please reference the built-in dimensions provided in the installation drawing



iQ700, Built-in compact oven with microwave function, 60 x 45 cm, Black CM976GMB1B

Dimensioned drawings Installation with a hob. B: Space for appli 320 x 115 mm For recessed depth, see hob dimensional drawing Min. distance: Induction hob: 5 mm Gas hob: 5 mm Electric hob: 2 mm measurements in mm If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into acccount. 455 Hob type min. worktop thickness max. flush fitted 347.5 Induction hob 43 mm 42 mm Full surface Induction hob 52 mm 53 mm 548 Gas hob 32 mm 43 mm Electric hob 32 mm 35 mm measurements in mm Installing two appliances on top of each other Air exchange 180 min. 550 min. 460 407 Space for appliance connection 320 x 115 measurements in mm

A: Air inlet ≥ 200 cm²