



Thinking of you
Electrolux

ERI712SA

RRP AUS \$649.00 NZ \$649.00

80cm (nominal) integrated range hood, push button electronic controls, 3 speed with boost, 720m³/h, 2 x LED lights



ERI712SA - 80cm integrated range hood, 720m³/h

 **Electrolux**

Product Details

Features

Top ducted

2 x filters

Built in design for seamless integration

3 speed fan + Boost Function

Dishwasher safe filters

Suitable for ducted or re-circulated installation through top of cabinetry
Suitable for ducted or re-circulated installation through top of cabinetry

Installation option - Ducted
The hood may be ducted away from the kitchen, kit required.

Product Details

Benefits

Clean the Air

Maintain a clean fresh air in your kitchen with powerful centrifugal extraction. Multi-layered micro-mesh filters effectively capture and extract grease, while optional carbon filters remove cooking odours leaving your kitchen fresh

Improves air quality

This stainless steel rangehood quietly and effectively removes cooking odours, smoke and steam.

Elegantly compact

Perfect for a smaller kitchen.

Washable filters

Removable filters are dishwasher safe for efficient cleaning.

Specifications

PRODUCT PROFILE

Domestic warranty details (yrs)	2
Type of Rangehood	integrated under cupboard
Nominal width	800
Finish of Rangehood	stainless steel

DIMENSIONS

Total product height (mm)	305
Total product width (mm)	702
Total product depth (mm)	284
Diameter of ducting (mm)	150
Minimum installation height from cooking surface Gas (mm)	650
Minimum installation height from cooking surface Electric (mm)	600

FILTERS

Number of filters	2
Type of filter	multilayer aluminum micromesh filters
Dishwasher safe	Yes

MOTOR/FAN

Number of fans	2
Number of fans speeds	4
Variable speed control	Yes
Type of motor	centrifugal
Auto fan timer	No
Maximum airflow M3/Hr	720
Noise level dB high	70
Noise level dB low	52

CONTROLS

Control panel	electronic push button
LED speed display	No
Removal front fascia	No

LIGHTS

Number of lights	2
Wattage of light	4
Type of light	LED

DUCTING / RECIRCULATION

Ducting	yes
Top or rear duct hole	top
Recirculation option	Yes
Front recirculating option	No
Optional extension flue	No
Ducting diameter (mm)	150

Terms and Conditions

IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

WARRANTY

This warranty only applies to Appliances purchased and used in Australia or New Zealand and used in normal domestic applications and is in addition to (and does not exclude, restrict, or modify in any way) any non-excludable statutory warranties in Australia or New Zealand. All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 640

fax: 1800 350 067

email: customercare@electrolux.com.au

web: www.electrolux.com.au

ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 09 573 2230

fax: 09 573 2221

email: customercare@electrolux.co.nz

web: www.electrolux.co.nz