


## Serie | 8 Hobs

# PKN675DB1A 60 cm Ceramic cooktop





# The glass-ceramic radiant cooktop: makes cooking and cleaning especially easy.

- **RoasterZone:** An extra cooking zone you can switch on for larger cookware
- **DirectSelect Premium:** Direct, simple selection of the desired cooking zone, power and additional functions.
- Timer with switch-off function: Turns off the assigned cooking zone after the set time.
- **ComfortProfile:** Elegant and appealing design with bevelled front and metal strips on the side.

#### **Technical Data**

Product name/family : Construction type :	Cooking zone ceramic Built-in
Energy input :	Electric
Total number of positions that can be used at the same time : 4	
Type of control setting devices :	Direct Select 2.0
Required niche size for installation (HxWxD) :	
44 x 560-560 x 500-500	
Width of the product (mm) :	606
Dimensions of the product (mm) :	44 x 606 x 527
Dimensions of the packed product (HxWxD) (mm) :	
	100 x 590 x 750
Net weight (kg) :	8.0
Gross weight (kg) :	9.0
Residual heat indicator :	Separate
Location of control panel :	Hob front
Basic surface material :	Ceramic
Color of surface :	Black, Stainless steel
Color of frame :	Stainless steel
Approval certificates :	CE, VDE
EAN code :	4242002843889
Electrical connection rating (W) :	7500
Voltage (V) :	220-240
Frequency (Hz) :	50; 60



#### **Optional accessories**

HEZ390010 : Stainless steel roaster fit for induct. HEZ390090 : Wok for radiant and induction hobs HEZ394301 : Connecting strip



# Serie | 8 Hobs

### PKN675DB1A

### 60 cm Ceramic cooktop

# The glass-ceramic radiant cooktop: makes cooking and cleaning especially easy.

#### **Design & Innovation**

- Stainless steel side profiles with beveled front
- 1 dual circuit cooking zone
- 1 extendable oval zone to accomodate larger pans
- Direct Select Premium Touch Control

#### Size & Power

- 17 power levels for each cooking zone
- Cooking zone front left: Standard zone
- 180 mm - 2 KW
- 2 KW
- Cooking zone rear left: Roaster zone
- 265 mm, 170 mm
- 1.8 kW, 2.6 kW
- Cooking zone front right: Dual circuit zone
- 210 mm - 4 Mj/h, 2.2 KW
- Cooking zone rear right: Standard zone
- 145 mm
- 1.2 KW

#### **Comfort & Convenience**

- Timer with automatic switch off for all zones
- Automatic boil start heats the hotplate using the highest setting and then switches automatically to the lower setting previously selected.
- Keep warm function low setting for keeping food warm at the touch of a button
- ReStart Quickly reinstates previous settings
- WipeProtection Quickly pauses settings to clean as you go
- Energy consumption display

#### Safety and Environment

- Digital 2-stage residual heat indicator for each cooking zone
- Childproof lock
- Automatic safety switch-off
- 2 year warranty

#### Dimensions (WxD)

- Appliance dimensions: (W x D) 606 mm x 527 mm
- Installation dimensions: (H x W x D) 44 mm x 560 mm x 500 mm

#### **Technical Information**

- Min. worktop thickness: 20 mm
- Total connected load: 7500 W



# Serie | 8 Hobs

# PKN675DB1A

60 cm Ceramic cooktop

