

Serie | 8 Warming drawers

Warming drawer  
BIC630NS1A, Stainless steel  
140 mm height



The multifunctional warming drawer for the 14 cm niche: for pre-heating crockery, keeping food warm, defrosting and slow cooking.

- **Push-pull mechanism:** easy opening and closing thanks to a practical spring mechanism.
- **Cleaning convenience:** easy-to-clean hotplate made of tempered glass.

Technical Data

Built-in / Free-standing :	Built-in
Color / Material Front :	Stainless steel
Maximum number of plates :	12
Maximum number of espresso cups :	64
Dimensions of the product (mm) :	140 x 595 x 548
Required niche size for installation (HxWxD) :	140 x 560 x 550
EAN code :	4242002813868
Electrical connection rating (W) :	810
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	60; 50
Plug type :	AU plug



## Serie | 8 Warming drawers

### Warming drawer

**BIC630NS1A, Stainless steel**

**140 mm height**

**The multifunctional warming drawer for the 14 cm niche: for pre-heating crockery, keeping food warm, defrosting and slow cooking.**

---

#### Heating Functions

- Temperature control with 4 levels: 40 °C - 80 °C (glass surface temperature)
- Suitable for:
  - Pre-warming of crockery
  - Keeping drinks and food warm
  - Dough proving
  - Defrosting
  - Slow cooking

#### Design

- Heating plate made of toughened glass
- Telescopic pull-out drawer
- Cavity volume: 20 net usable litres

#### Convenience

- Max weight up to 25 kg

#### Technical Info


- Appliance dimensions (HxWxD): 140 mm x 595 mm x 548 mm
- Installation dimensions (HxWxD): 140 mm x 560 mm - 568 mm x 550 mm
- Length of mains cable: 150 cm

## Serie | 8 Warming drawers

### Warming drawer


**BIC630NS1A, Stainless steel**

**140 mm height**



Compact ovens with an appliance height of 455 mm can be installed above a warming drawer. An intermediate floor is not required.

measurements in mm



measurements in mm