SE364ETBM

Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	60 cm
Power supply	Electric
Type	Ceramic
EAN code	8017709240882



Aesthetics

Aesthetic	Classic
Colour	Black
Finishing	Glass
Material	Glass
Glass type	Ceramic
Glass edge	Angled edge
Type of control setting	Control knobs
Control knob position	Front
No. of controls	4
Controls colour	Steel effect
Serigraphy colour	Grey

Program / Functions

No. of ceramic cook zones	4
Total no. of cook zones	4

Options

Standard cut out	490x560 mm

Technical Features

Front-left - Ceramic - Single - 1.80 kW - Ø 18.4 cm

Rear-left - Ceramic - Single - 1.20 kW - Ø 14.8 cm
Rear-right - Ceramic - Double - 1.00 - 2.20 kW - Ø 14.8 - Ø 21.4 cm
Front-right - Ceramic - Single - 1.20 kW - Ø 14.8 cm

Electrical Connection

Electrical connection rating (W)	6400 W	**Type of electric cable supplied**	Yes, Three and Single/Two-phase
Current	19 A	**Frequency (Hz)**	50/60 Hz
Voltage (V)	220-240 V	**Power supply cable length**	150 cm
Voltage 2 (V)	380-415 V		
Type of electric cable	Double universal	**Terminal box**	6 poles



Compatible Accessories

SCRP

Induction and ceramic hobs and teppanyaki scraper

Symbols glossary

Ultra-low profile: Installation of product with flat edge - height of 1 mm.

Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.

Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.

Knobs control

Glass ceramic: The base of the hob is made glass ceramic. Heating is performed by the heating elements Hi-Light.

Benefit (TT)

Ceramic hobs

Shorter cooking times and constant temperature control thanks to the ceramic cooktop, ensuring high performance

Accurate power adjustment via knobs, for more precise cooking level control