

Serie | 4, Built-under dishwasher, 60 cm, Stainless steel SMU46KS01A





















Optional accessories

SGZ1010: inlet and outlet hose extention SMZ5002: Silver polishing cassette SMZ5150AU: toe kick panel stainless steel

ActiveWater Dishwasher: Obtaining brilliant results with low energy and water consumption.

- 4 star energy & 4 star water rating: High energy efficiency and low water consumption
- SuperSilence: Low operating noise at only 46 dB(A).
- MachineCare: Maintains the wash quality and reliability of your dishwasher throughout its lifetime.
- VarioDrawer™: Provides an extra loading level for cutlery and
 utensils
- Glass Wash System: The Glass Wash program, ExtraDry option, and GlassSecure Tray allows optimum cleaning results with high protection especially for delicate long stemmed glasses.

Technical Data

Water consumption (I): 13.4
Built-in / Free-standing: Built-in
Height of removable worktop (mm): 0
Required niche size for installation (HxWxD):

815-875 x 600 x 550 Depth with open door 90 degree (mm): 1155 Adjustable feet : Yes - front only Maximum adjustability feet (mm): 60 Net weight (kg): 39.204 Gross weight (kg): 41.0 Connection Rating (W): 2400 Current (A): 10 Voltage (V): 220-240 Frequency (Hz): 50; 60 Length electrical supply cord (cm): 175 Plug type: AU plug Length inlet hose (cm): 165 Length outlet hose (cm): 190 4242002991894 EAN code: Number of place settings : 14 Energy consumption (kWh): 0.62 Reference programme: Eco Total cycle time of reference programme (min): 150 Noise level (dB): 46 Built-under Installation typology:





Serie | 4, Built-under dishwasher, 60 cm, Stainless steel SMU46KS01A

ActiveWater Dishwasher: Obtaining brilliant results with low energy and water consumption.

Capacity

- 14 international place settings

Consumption rates

- 4 Star energy rating, 4 Star WELS water rating
- 13.4 litres water consumption per wash and 230kWh energy consumption per year, based on Eco 45°C program

Design

- Under bench Dishwasher 60 cm wide
- Anti-fingerprint stainless steel finish
- Polinox inner tub: The patented Polinox inner tub is extremely durable, odourless and rust-free. German engineered with robust materials that withstand dints, scratches and discolouration, based on 10 year simulation tests.
- Effortless door closing: The door self-closes when below a 20° angle.
- Front facing control display

Wash Programs and Options

- 6 programs:
 - Pots & Pans: Pots & Pans. Heavily soiled dishes, 70°C.
- Auto Wash: Automatic wash & dry. Mixed loads & soil levels, 45-65°C.
- Eco Wash: Energy efficient wash & dry. Mixed loads & soil levels. 45°C.
- Glass Wash: Sensitive glassware, crystal, & fine china, 40°C.
- Quick Wash, 29 minutes (with use of rinse aid): Express wash only. Lightly soiled dishes, 45°C.
- Pre-Rinse: Rinse cycle only.
- 4 special options:
- Machine Care: Helps remove grime and limescale buildup for optimum performance.
- SpeedPerfect: Up to 50% faster wash time.
- HalfLoad: For half loads, reduces energy, water & time.
- ExtraDry: Provides an even better drying result.

Performance

- ActiveWater™: Automatic load adjustment recognises the load condition in three steps and ensures that only the amount of electricity and water required for that load is used
- DosageAssist™: Maximises the effectiveness of detergent tablets. The tablet is dropped into a specially engineered

- tray and is completely dissolved. For superior cleaning performance and a quieter wash.
- EcoSilence Drive® quiet and energy-efficient brushless motor (BLDC)
- BLDC Main Pump: Variable water & spray pressure to achieve optimum cleaning results
- BLDC Drain Pump: Fast and extra quiet draining of water, no gargling sounds
- AquaSensor™ technology: Regulates the water usage depending on the type and degree of soiling LoadSensor technology: Provides for optimal water usage even for half loads or partial loads, saving water and electricity
- AutoBrilliance™: Automatic detergent and rinse aid sensor
- Heat Exchanger: Hygienic fully enclosed drying system –
 does not draw contaminated air (dust & allergens) from the
 dishwasher exterior. Reduces temperature shock, water &
 energy use.
- 3 stage self-cleaning filter system
- Alternating spray-arm washing
- 5 Spray levels

Flexibility

- VarioDrawer™: Provides an extra loading level for cutlery and
- VarioFlex™ basket system
- 2 foldable plate racks in top basket
- 2 folding plate racks in bottom basket
- 2 foldable cup shelves in top basket
- RackmaticPlus™: 3-stage top basket can be adjusted to three height levels to maximise convenience

Included Accessories

- Moveable cutlery basket in lower basket
- GlassSecure Tray: Securely holds 4 long stemmed wine glasses

Large item spray head: For washing extra large items such as baking trays and rangehood filters Vapour barrier protection plate

- Stainless steel toe kick panel included

Convenience

- Very Quiet: Operates at a low noise level of 46dB(A)
- Time remaining display
- Time delay start: Delay program start time by 1-24 hours to suit your schedule
- Electronic rinse aid indicator
- Last program used memory function

Safety

- AquaStop™ Plus: Water supply device with lifetime anti-flood protection
- Child door lock
- Button child lock

2 year warranty




Dimensions


- 815-875 mm x 598 mm x 573 mm



Serie | 4, Built-under dishwasher, 60 cm, **Stainless steel** SMU46KS01A







() Werte mit Verlängerungssatz