


**Serie | 4, Canopy cooker hood, 53 cm,
Silver metallic
DHL555BAU**



The integrated rangehood: offers a sleek and seamless design in the kitchen with fully integrated installation.

- **Extraction rate:** at 650 m³/h, it quickly ensures optimal kitchen air quality.
- Halogen lighting provides optimal, energy-efficient illumination of the cooktop.
- **Intensive speed setting:** removes strong kitchen odours especially quickly and effectively.
- **Especially quiet:** high performance at just 59 dB.

Technical Data

Typology :	Traditional
Approval certificates :	Australia Standards, VDE
Length electrical supply cord (cm) :	130
Required niche size for installation (HxWxD) :	255mm x 500mm x 350mm
Minimum distance above an electric hob :	650
Minimum distance above a gas hob :	650
Net weight (kg) :	7.439
Type of control :	mechanical
Maximum output air extraction (m ³ /h) :	420
Boost position output recirculating (m ³ /h) :	430
Maximum output recirculating air (m ³ /h) :	320
Boost position air extraction (m ³ /h) :	650
Number of lights :	2
Noise level (dB) :	59
Diameter of air outlet (mm) :	120 / 150
Grease filter material :	Washable aluminium
EAN code :	4242002527093
Connection Rating (W) :	206
Voltage (V) :	220-240
Frequency (Hz) :	50
Plug type :	AU plug
Installation typology :	Built-in

Optional accessories

DHZ7305 : Charcoal filter for recirculation oper.



4 242002 527093

Serie | 4, Canopy cooker hood, 53 cm, Silver metallic DHL555BAU

The integrated rangehood: offers a sleek and seamless design in the kitchen with fully integrated installation.

Design

- Appliance colour: Steel body, metallic finish

Power and Mode of Operation

- 3 power settings plus intensive setting
- Extraction rate according to EN 61591 ø 15 cm:
max. Normal use 420 m³/h
Intensive 650 m³/h
- Ducted and recirculated-air operation
- Accessories required for recirculation mode: Charcoal filter
- Sliding switch control controls for power and light
- Powerful twin motor
- Noise min./max. Normal Level: 41/59 dB
Noise max. Intensive setting: 69 dB


Comfort & Convenience

- Dishwasher safe metal grease filters
- On / Off indicator lights
- 2 x 20W halogen lights
- Power rating: 240 W


Dimensions (HxWxD)

- Dimensions recirculating (HxWxD): 255-255 x 530 x 380 mm
- Dimensions exhaust air (HxWxD): 255-255 x 530 x 380 mm
- 120 or 150 mm tube connection diameter
- Electrical cable length 1.3 m


**Serie | 4, Canopy cooker hood, 53 cm, Silver metallic
DHL555BAU**



measurements in mm



measurements in mm



measurements in mm