Míele

My Brochure







Míele

DA 2450

Extractor unit

with energy-efficient LED lighting and rotary dials for easy use



- Customised kitchen design fully integrated in 532 mm width
- Powerful 590 m3/h in Booster setting
- Efficient filtration 10-layer stainlesssteel grease filter
- Safe and easy to clean Miele CleanCover
- Suitable for every home for extraction or recirculation

Price \$ 1,099.00**

** GST inclusive

Construction type	
Integrated extractor	•
Operating modes	
Type of air guide	Can be retrofitted
Recirculation conversion kit (order separately)	DUU 151
Active charcoal filter (order separately)	DKF 15-P
Design	
Colour	Stainless steel
User convenience	
Electronic controls	
Rotary dial	•
Power levels (number without Booster level)	2
Easy-to-clean canopy interior - CleanCover	•
Filter system	
Number of dishwasher-safe stainless steel grease filters (10-ply)	1
Lighting	
LED	•
Number x W	2 x 3 W
Light intensity in Lx	330 lx
Colour temperature in K	3000 Kelvin
Blower	
Dual-action blower	•
AC motor	•
Extraction	
Air throughput in Level 1 (m ³ /h) according to EN 61591	230
Air throughput in Level 2 (m ³ /h) according to EN 61591	350
Air throughput with Booster setting 1 (m³/h)	590
Sound power in Level 1 (dB(A) re 1 pW) according to EN 60704-3	47
Sound power in Level 2 (dB(A) re 1 pW) according to EN 60704-3	54
Sound power with Booster setting 1 (dB(A) re 1 pW) acc. to EN 60704-3	66
Sound pressure in Level 1 (dB(A) re 20 μ Pa) according to EN 60704-2-13	32
Sound pressure in Level 2 (dB(A) re 20 μ Pa) according to EN 60704-2-13	40
Sound pressure with Booster setting 1 (dB(A) re 20 μ Pa) acc. to EN 60704-2-13	52



DA 2450
Extractor unit
with energy-efficient LED lighting and rotary dials for easy use



Recirculation	
Air throughput in Level 1 (m³/h) according to EN 61591	185
Air throughput in Level 2 (m³/h) according to EN 61591	305
Air throughput with Booster setting 1 (m³/h) according to EN 61591	525
Sound power in Level 1 (dB(A) re 1 pW) according to EN 60704-3	52
Sound power in Level 2 (dB(A) re 1 pW) according to EN 60704-3	61
Sound power with Booster setting 1 (dB(A) re 1 pW) acc. to EN 60704-3	71
Sound pressure in Level 1 (dB(A) re 20 µPa) according to EN 60704-2-13	38
Sound pressure in Level 2 (dB(A) re 20 µPa) according to EN 60704-2-13	47
Sound pressure with Booster setting 1 (dB(A) re 20 µPa) acc. to EN 60704-2-13	57
Technical data	
Canopy width in in. (mm)	532
Canopy height in in. (mm)	50
Depth of hood canopy in in. (mm)	372
Net weight in kg	10.2
Length of supply lead in m	1.5
Standard plug fitted	•
Total rated load in kW	0.226
Voltage in V	230
Fuse rating in A	10
Frequency in Hz	50
Number of phases	1
Installation notes	
Extraction ducting connection at top	•
Extraction connection at top and rear	•
Diameter of extraction ducting connection in mm	150
Accessories supplied	
Non-return flap	•



Miele Australia Pty Ltd

ACN 005 635 398 ABN 96 005 635 398

Miele Australia Pty Ltd

Head Office 141 Camberwell Road Hawthorn East VIC 3123

Telephone: 1300 4 MIELE (1300 464 353)

www.miele.com.au

Miele Experience Centre Doncaster

Shop 1136/7, Westfield Doncaster 619 Doncaster Road Doncaster VIC 3108

Miele Experience Centre South Melbourne

206-210 Coventry Street South Melbourne VIC 3205

Miele Experience Centre and Office Sydney

3 Skyline Place Frenchs Forest NSW 2086

Miele Experience Centre Brisbane

Tenancy 4C, 63 Skyring Terrace Newstead QLD 4006

Miele Experience Centre Gold Coast

131 Ferry Road Southport QLD 4215

Miele Experience Centre and Office Adelaide

83-85 Sir Donald Bradman Drive Hilton SA 5033

Miele Experience Centre and Office Perth

205-207 Stirling Highway Claremont WA 6010

Miele New Zealand Limited

IRD 98 463 631

Miele New Zealand Limited

Head Office 8 College Hill Freemans Bay, Auckland 1011

Telephone: 0800 4 MIELE (0800 464 353)

www.miele.co.nz

Miele Experience Centre Auckland

8 College Hill Freemans Bay Auckland 1011

Miele Experience Centre Wellington

183 Featherston Street Wellington 6011

Miele & Cie. KG

Carl-Miele-Straße 29 33332 Gütersloh Postfach, 33325 Gütersloh Telefon +49 5241 89-0 Telefax +49 5241 89-2090 E-Mail: info@miele.de



