## T29TA79NOA 90 CM GAS COOKTOP WITH INTEGRATED CONTROLS, BLACK CERAMIC GLASS







### The gas cooktop with an extremely heat-resistant ceramic glass surface and incrementally adjustable FlameSelect.

- $\checkmark\,$  FlameSelect Thanks to the clever control of gas flow, the flame can be precisely adjusted in 9 gradations. Always the same reliable and precise power levels for outstanding cooking convenience.
- $\sqrt{}\,$  Dual flame system for high temperatures at up to 22 Mj/h when cooking large quantities.
- $\sqrt{}$  Extremely easy-to-clean ceramic glass surface.
- $\checkmark\,$  Continuous cast-iron pan supports for maximum stability and cooking convenience.

#### Features

#### Technical Data

Product name/family : gas hob w integrated controls Construction type : Built-in Energy input : Gas Total number of positions that can be used at the same time : 5 Required niche size for installation (HxWxD) : 45 x 850-852 x 490-502 Width of the product (mm) : 918 Dimensions of the product (mm) : 45 x 918 x 546 Net weight (kg) : 18.0 Gross weight (kg): 21.0 Residual heat indicator : Separate Location of control panel : Hob front Basic surface material : Ceramic Color of surface : Black, Stainless steel Color of frame : Black, Stainless steel Approval certificates : CE Length electrical supply cord (cm) : 150 Knob Material : Plastic Sealed Burners : No Type of pan support : Elongated cast iron pan support Electrical connection rating (W): 2 Gas connection rating (W) : 13700 Current (A) : 3 Voltage (V) : 220-240 Frequency (Hz) : 50 Main colour of product : Black Energy input : Gas Gas type : Nat gas H/E/(L) 20 (25) mbar Alternative gas type : Liquid gas G30,31 28-30/37mbar Approval certificates : CE Plug type : AU plug Required cutout/niche size for installation (in) : x x Appliance Dimensions  $(h \times w \times d)$   $(in) : + \times x$ Dimensions of the packed product (in) :  $7.44 \times 44.29 \times 26.18$ Net weight (lbs) : 39 Gross weight (lbs) : 47 Total number of positions that can be used at the same time : 5 Length electrical supply cord (cm) : 150 Required niche size for installation (HxWxD) : 45 x 850-852 x 490-502 Dimensions of the product (mm) : 45 x 918 x 546 Net weight (kg) : 18.0 Gross weight (kg) : 21.0

Included accessories

1 x cross support for espresso 1 x WOK attachment ring



## T29TA79NOA 90 CM GAS COOKTOP WITH INTEGRATED CONTROLS, BLACK CERAMIC GLASS

#### Features

#### Design

- Black ceramic glass
- Stainless steel frame
- Design burner special flat design
- Comfort & Convenience
- FlameSelect (9 steps)
- Digital display
- sword knobs
- Knob ignition
- Enamelled cast iron pan supports on non-scratch rubber feet

#### Size & Power

- 5 Gas burners
- Dual flame wok burner
- 1 High-speed, 2 Standard, 1 Economy, 1 Dual Wok burner
- Left: Wok burner 22 Mj/h
- Center rear: Economy burner 4.8 Mj/h
- Center front: Standard burner 8.1 Mj/h
- Right rear: High-speed burner 11.6 Mj/h
- Right front: Standard burner 8.1 Mj/h

#### Safety and Environment

- Flame failure device fitted to each individual burner
- 5-fold residual heat indicator
- Preset to natural gas (20mbar)
- Dimensions (WxD)
- 90 cm width
- Installation measurements: 850 mm x 490 mm
- Power cord length: 150 cm

#### Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included
- 1 x Wok attachment ring, 1 x cross support for espresso included.

# T29TA79NOA 90 CM GAS COOKTOP WITH INTEGRATED CONTROLS,

### BLACK CERAMIC GLASS

Dimensioned drawings

