

COOKING PASSION SINCE 1877

# T27DA69NOA 75 CM GAS COOKTOP WITH INTEGRATED CONTROLS,

## STAINLESS STEEL









The gas cooktop with a stainless-steel surface design, slightly raised glass surface and incrementally adjustable FlameSelect

- √ FlameSelect Thanks to the clever control of gas flow, the flame can be precisely adjusted in 9 gradations. Always the same reliable and precise power levels for outstanding cooking convenience
- √ 7-segment display with residual heat indicator Provides a digital display of the power level selected for a particular cooking zone. After the cooktop is turned off, the indicator informs you of the cooking zone's residual heat.
- $\sqrt{\,}$  Dual flame system for high temperatures at up to 19.5 Mj/h when cooking large quantities.
- $\sqrt{\phantom{a}}$  Continuous cast-iron pan supports for maximum stability and cooking convenience.

#### Feature:

#### Technical Data

Product name/family : gas hob w integrated controls

Construction type : Built-in

Energy input: Gas

Total number of positions that can be used at the same time : 5 Required niche size for installation (HxWxD) :  $45 \times 560-562 \times 10^{-2}$ 

480-492

Width of the product (mm): 750

Dimensions of the product (mm) :  $45 \times 750 \times 520$ 

Net weight (kg): 13.0 Gross weight (kg): 14.0

Residual heat indicator : Separate Location of control panel : Hob front Basic surface material : Stainless steel Color of surface : Stainless steel Color of frame : Stainless steel Approval certificates : CE

Length electrical supply cord (cm): 100

Knob Material : Plastic Sealed Burners : No

Type of pan support : Elongated cast iron pan support

Electrical connection rating (W): 2 Gas connection rating (W): 12500

Current (A) : 3 Voltage (V) : 220-240 Frequency (Hz) : 50

Main colour of product : Stainless steel

Energy input : Gas

Gas type: Nat gas H/E/(L) 20 (25) mbar

Alternative gas type: Liquid gas G30,31 28-30/37mbar

Approval certificates : CE Plug type : AU plug

Required cutout/niche size for installation (in) :  $x \times Appliance Dimensions (h x w x d) (in) : + x \times$ 

Dimensions of the packed product (in) :  $6.61 \times 31.29 \times 23.81$ 

Net weight (lbs): 28 Gross weight (lbs): 30

Total number of positions that can be used at the same time :  $\boldsymbol{5}$ 

Length electrical supply cord (cm) : 100

Required niche size for installation (HxWxD) : 45 x 560-562 x

480-492

Dimensions of the product (mm) :  $45\times750\times520$ 

Net weight (kg): 13.0 Gross weight (kg): 14.0



# T27DA69NOA 75 CM GAS COOKTOP WITH INTEGRATED CONTROLS,

# STAINLESS STEEL

#### Features

### Design

• Stainless steel

### Comfort & Convenience

- FlameSelect (9 steps)
- Digital display
- sword knobs
- Knob ignition
- Enamelled cast iron pan supports on non-scratch rubber feet

#### Size & Power

- 5 Gas burners
- Dual flame wok burner
- 1 High-speed, 2 Standard, 1 Economy, 1 Dual Wok Burner
- Left rear: Standard burner 6.85 Mj/h
- Left front: Economy burner 4 Mj/h
- Center: Wok burner 19.5 Mj/h
- Right rear: High-speed burner 11 Mj/h
- Right front: Standard burner 6.85 Mj/h

### Safety and Environment

- Flame failure device fitted to each individual burner
- 5-fold residual heat indicator
- Preset to natural gas (20mbar)

### Dimensions (WxD)

- 75 cm width
- Installation measurements: 560 mmx480 mm
- Power cord length: 100 cm

### **Supplied Accessories**

• Liquid gas nozzles (28-30/37mbar) included

# T27DA69NOA 75 CM GAS COOKTOP WITH INTEGRATED CONTROLS,

# STAINLESS STEEL

## Dimensioned drawings

