

iQ300
EH675LDC1E
60 cm Induction cooktop



Induction cooktop with innovative features that enable highly flexible cooking in any situation.

- ✓ dual lightSlider: lets you easily and intuitively operate the cooktop.
- ✓ fryingSensor: maintains the desired pan temperature automatically after heating up to avoid scorching.
- ✓ Space for extra-large pots and pans thanks to the extendable 32 cm three-ring cooking zone.

Features

Technical Data

Product name/family : Cooking zone ceramic
 Construction type : Built-in
 Energy input : Electric
 Total number of positions that can be used at the same time : 3
 Type of control setting devices : Dual light slider
 Required niche size for installation (HxWxD) : 51 x 560-560 x 490-500
 Width of the product (mm) : 602
 Dimensions of the product (mm) : 51 x 602 x 520
 Net weight (kg) : 13.0
 Gross weight (kg) : 15.0
 Residual heat indicator : Separate
 Location of control panel : Hob front
 Basic surface material : Ceramic
 Color of surface : Black, Stainless steel
 Color of frame : Stainless steel
 Approval certificates : AENOR, CE
 Length electrical supply cord (cm) : 110
 EAN code : 4242003697962
 Electrical connection rating (W) : 7400
 Voltage (V) : 220-240
 Frequency (Hz) : 60; 50



Optional accessories

HZ390250 : System pan diameter 28cm , HZ390230 : System pan diameter 21cm , HZ390220 : System pan diameter 19cm , HZ390210 : System pan Ø 15cm , HZ390090 : Wok Set consisting of 3 Items , HZ390042 : set of 3 pots + 1 pan for induction hob , HZ390030 : set of 3 pots for induction hob

iQ300

EH675LDC1E

60 cm Induction cooktop

Features

Cooktop Type and Special Features

- 3 induction cooking zones
- Ring zone triple
- Cooking zone with special 5.5kW powerBoost
- powerBoost function for all cooking zones
- panBoost
- fryingSensor Plus with 5 temperature settings

Design

- Black ceramic glass with stainless steel side profiles and beveled front
- New design (of printing)
- Can be combined with Domino cooktops

Comfort & Convenience

- Dual LightSlider
- LED display and timer with auto switch off for all cooking zones
- Count up timer per cooktop
- ReStart - Quickly reinstates previous settings
- QuickStart - Quick and automatic first pot detection

Size & Power

- 17 power levels for each cooking zone
- Cooking zone rear left:
 - 260 mm, 210 mm, 320 mm
 - 2.2 KW, 3.3 kW, 2.6 KW / 3.7 KW, 5.5 KW, with powerBoost
- Cooking zone rear right:
 - 145 mm
 - 1.4 KW / 2.2 KW with powerBoost
- Cooking zone front right:
 - 210 mm
 - 2.2 KW / 3.7 KW with powerBoost
- 7.4 kW total connected load

Safety and Environment

- Automatic pan recognition
- Automatic safety switch-off
childproof lock
- 2-stage (h/H) digital residual heat indicator for each cooking zone
- Energy efficiency display

Dimensions (WxD)

- Installation measurements: 560 mmx490 mm
- Length wire connection: 110 cm
- Min. worktop thickness: 30 mm

iQ300
EH675LDC1E
60 cm Induction cooktop

Dimensioned drawings

