

iQ700

ER3A6AD70A

30 cm Domino gas cooktop with integrated control, Black ceramic glass



Gas cooktop with stepFlame Technology for precise flame control in nine steps.

- ✓ stepFlame Technology: precise heat control with nine different flame steps.
- ✓ The 7-segment display informs about the chosen power level.
- ✓ The dual wok burner with dual flame system and 22 Mj/h of power is ideal for a wide variety of foods, even in large quantities.
- ✓ Dishwasher proof pan supports are extremely easy to remove and clean in the dishwasher.
- ✓ High-quality materials and workmanship – continuous cast-iron pan supports.

Features

Technical Data

Product name/family : Vario/Domino gas hob w control
 Built-in / Free-standing : CONSTR_TYPE.Built-in
 Energy input : Gas
 Total number of positions that can be used at the same time : 1
 Required niche size for installation (HxWxD) : 45 x 270 x 490-500
 Width of the product (mm) : 302
 Dimensions of the product (mm) : 45 x 302 x 520
 Net weight (kg) : 7.0
 Gross weight (kg) : 8.0
 Residual heat indicator : Separate
 Location of control panel : Hob front
 Basic surface material : Ceramic
 Color of surface : Black, Stainless steel
 Color of frame : Black, Stainless steel
 Approval certificates : CE
 Length electrical supply cord (cm) : 100
 Electrical connection rating (W) : 2
 Gas connection rating (W) : 6000
 Current (A) : 3
 Voltage (V) : 240
 Frequency (Hz) : 50

Included accessories

1 x cross support for espresso
 1 x WOK attachment ring



Optional accessories

HZ394301 Connecting strip
 HZ298105 Simmer plate

iQ700**ER3A6AD70A****30 cm Domino gas cooktop with
integrated control, Black ceramic glass****Features****Design**

- Black ceramic glass surface
- Enamelled cast-iron pan supports with non-scratch rubber feet
- Design burner - special flat design
- Can be combined with Domino ceramic cooktops.

Comfort & Convenience

- StepFlame (9 steps)
- Electronic display
- sword knobs
- Easy to clean Black ceramic glass surface
- One-hand ignition
- Dishwasher safe pan supports

Size & Power

- Dual flame wok burner
- Center front: Wok burner 22 Mj/h

Safety and Environment

- Residual heat indicator
- Preset to natural gas (10mbar)
- Flame failure device fitted to each individual burner

Supplied Accessories

- Liquid gas nozzles (28-30/37mbar) included

Dimensions (WxD)

- 30 cm width
- Installation measurements: 270 mm x 490 mm
- Power cord length: 100 cm with plug

iQ700

ER3A6AD70A

30 cm Domino gas cooktop with
integrated control, Black ceramic glass

Dimensioned drawings

