

iQ700
SX678X11TA
stainless steel finish
fully-integrated 60 cm tallTUB
Dishwasher



TimeLight: The remaining wash cycle time is projected onto the floor whilst the dishwasher is operating.

- ✓ **varioDrawer Pro:** Third loading level for cutlery & utensils: Provides extra loading flexibility and convenience for cutlery, cups, and large utensils.
- ✓ **Shine&Dry:** A unique energy-efficient drying cycle with the power of Zeolith® for streak-free glassware and dry plastics.

Features

Technical Data

Water consumption (l) : 12.0
 Built-in / Free-standing : Built-in
 Height of removable worktop (mm) : 865
 Required niche size for installation (HxWxD) : 865-925 x 600 x 550
 Depth with open door 90 degree (mm) : 1200
 Adjustable feet : Yes - front only
 Maximum adjustability feet (mm) : 60
 Net weight (kg) : 48.0
 Gross weight (kg) : 51.0
 Connection Rating (W) : 2400
 Current (A) : 10
 Voltage (V) : 220-240
 Frequency (Hz) : 50; 60
 Length electrical supply cord (cm) : 175
 Plug type : AU plug
 Length inlet hose (cm) : 165
 Length outlet hose (cm) : 190
 EAN code : 4242003794128
 Number of place settings : 15
 Energy consumption (kWh) : 0.55
 Reference programme : Eco
 Total cycle time of reference programme (min) : 160
 Installation type : Full-integrated



Optional accessories

SZ73640 : Rack insert for stemware dishwasher , SZ73300 : Wineglass-Tray , SZ73150AU : toe kick panel stainless steel , SZ73015 : Compensating panels, stainless steel , SZ73010 : Retractable hinge f. high corpus dimens. , SZ73001 : Silver polishing cassette , SZ72010 : inlet and outlet hose extension 2 m

iQ700
SX678X11TA
stainless steel finish
fully-integrated 60 cm tallTUB
Dishwasher

Features

Capacity

- 15 international place settings

Consumption rates

- 4.5 Star energy rating, 5 Star WELS water rating
- 12 litres water consumption per wash and 205kWh energy consumption, based on Eco 45°C program

Design

- fully-integrated tallTUB Dishwasher - 60 cm wide
- stainless steel finish
- stainless steel interior tub
- servo lock for effortless door closing
- SoftTouch buttons
- integrated control buttons at the top of the door panel

Wash Programs & Options

- 8 programs:
 - Auto, 65-75°C
 - Auto, 35-45°C
 - Auto, 45-65°C
 - Eco, 45°C
 - Night Wash 40dB(A), 50°C
 - Quick Wash, 60 minutes, 65°C
 - Quick Wash, 29 minutes, 45°C
 - Pre-Rinse
- 6 special options:
 - Machine Care
 - VarioSpeed
 - Half Load
 - Intensive Zone
 - HygienePlus
 - Shine & Dry

Performance

- Zeolith® Drying Technology - Unique ground-breaking technology activated with the Shine & Dry wash option; absorbs water molecules to dry dishes quicker with ultimate energy efficiency, especially good for drying plastics and glassware
- advanced 3 stage self-cleaning filter system
- dosageAssist detergent system
- iQdrive: The quietest, fastest, & most durable brushless motor ever built by Siemens
- hydroSensor: Automatic water turbidity detection
loadSensor: Automatic water level optimisation
- automatic detergent aware system
- hydroDry hygienic drying
- 3 stage self-cleaning filter system
- alternating spray technique
- 5 spray levels for complete coverage

Flexibility

- varioDrawer Pro: Third loading level for cutlery & utensils
- varioFlex Pro basket system with blue coloured touchpoints
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- 2 foldable cup shelves in top basket
- 2 foldable cup shelves in bottom basket
- rackMatic Plus: 3 stage height-adjustable upper basket
- variable position cutlery basket
- tall glass/champagne glass racks
- large item spray head
vapor barrier plate

Convenience

- superSilence: Operates at a low noise level of 42dB
- emotionLight: Bathes your sparkling clean glassware in a cool blue illumination when you open the door
- TimeLight™: Projects wash status and remaining time onto the floor
- TFT Display in full colour integrated into the top of the inner door
- Audible signal at end of program
- Real time clock actual time display
- Time delay start (1-24 hours)
- Electronic rinse aid/refill indicator
- Last program used memory function

Safety

- hydroSafe anti-flood protection
- Child door lock
- 10 year rust-through warranty for the inner tub
- 5 year warranty

Dimensions

- 865-925 mm x 598 mm x 550 mm

iQ700
 SX678X11TA
 stainless steel finish
 fully-integrated 60 cm tall TUB
 Dishwasher

Dimensioned drawings

