

iQ700 EX875LEC1E 80 cm Induction cooktop



Induction cooktop with innovative features that enable highly flexible cooking in any situation.

- ✓ powerMove Plus: enables intuitive control thanks to three heating zones with different temperatures – activated by touch.
- ✓ dual lightSlider: lets you easily and intuitively operate the cooktop.
- ✓ fryingSensor: maintains the desired pan temperature automatically after heating up to avoid scorching.
- ✓ Innovative induction technology makes cooking faster, cleaner and safer.
- ✓ Shorter heating times with up to 50% more power thanks to the powerBoost-function.

Features

Technical Data

Product name/family : Cooking zone ceramic
 Construction type : Built-in
 Energy input : Electric
 Total number of positions that can be used at the same time : 4
 Required niche size for installation (HxWxD) : 51 x 750-780 x 490-500
 Width of the product (mm) : 812
 Dimensions of the product (mm) : 51 x 812 x 520
 Dimensions of the packed product (HxWxD) (mm) : 126 x 603 x 953
 Net weight (kg) : 16.0
 Gross weight (kg) : 18.0
 Residual heat indicator : Separate
 Location of control panel : Hob front
 Basic surface material : Ceramic
 Color of surface : Alu, brushed, Black
 Color of frame : Alu, brushed
 Approval certificates : AENOR, CE
 Length electrical supply cord (cm) : 110
 Sealed Burners : No
 heating with booster : All
 Power of 2nd heating element (kW) : 3.3
 Power of 5th heating element (kW) : 2.6
 Power of heating element (kW in boost) : [3.7]
 Power of 2nd heating element (kW in boost) : 3.7
 Power of 5th heating element (kW in boost) : [3.7]
 Electrical connection rating (W) : 7400
 Current (A) : 32; 2*16
 Voltage (V) : 220-240
 Frequency (Hz) : 60; 50
 Main colour of product : Black
 Energy input : Electric
 Approval certificates : AENOR, CE
 Plug type : no plug
 Required cutout/niche size for installation (in) : x x
 Appliance Dimensions (h x w x d) (in) : + x x
 Dimensions of the packed product (in) : 4.96 x 23.74 x 37.51
 Net weight (lbs) : 35
 Gross weight (lbs) : 39
 Total number of positions that can be used at the same time : 4
 Length electrical supply cord (cm) : 110
 Required niche size for installation (HxWxD) : 51 x 750-780 x 490-500
 Dimensions of the product (mm) : 51 x 812 x 520
 Dimensions of the packed product (HxWxD) (mm) : 126 x 603 x 953
 Net weight (kg) : 16.0
 Gross weight (kg) : 18.0

Included accessories

1 x adjustment strip 750 - 780 mm



iQ700

EX875LEC1E

80 cm Induction cooktop

Features

Cooktop Type and Special Features

- 4 induction cooking zones
- flexInduction zone
- powerBoost function for all cooking zones
- panBoost
- fryingSensor Plus with 5 temperature settings

Design

- Black ceramic glass with stainless steel side profiles and beveled front
- Can be combined with Domino cooktops

Comfort & Convenience

- Dual LightSlider
- LED display and timer with auto switch off, LED display and timer with auto switch off for all cooking zones, Count up timer per cooktop
- QuickStart - Quick and automatic first pot detection
- ReStart - Quickly reinstates previous settings
- powerMove Plus

Size & Power

- 17 power levels for each cooking zone
- Cooking zones: 1 x Ø 400 mm x 240 mm, 3.3 KW (max. Power level 3.7 KW) Induction or 2 x Ø 200 mm, 2.2 KW (max. Power level 3.7 KW) Induction; 1 x Ø 280 mm, 2.6 KW (max. Power level 3.7 KW) Induction; 1 x Ø 145 mm, 1.4 KW (max. Power level 2.2 KW) Induction
- 7.4 kW total connected load

Safety and Environment

- Automatic pan recognition
powerManagement Function
Automatic safety switch-off
childproof lock
wipeProtection function
- 2-stage (h/H) digital residual heat indicator
- Energy efficiency display

Dimensions (WxD)

- Appliance dimensions: (W x D) 812 mm x 520 mm
- Installation dimensions: (H x W x D) 51 mm x 750 mm x 490 mm
- Min. worktop thickness: 30 mm
- Length wire connection: 110 cm

iQ700
EX875LEC1E
80 cm Induction cooktop

Dimensioned drawings

