Concealed Range Hood

VAPORE 60 & 90















Pictured: VAPORE - 90cm Induction Hood



Pictured: VAPORE - 90cm under side

VAPORE is the first built-in hood in the world with the ability to avoid condensation that inevitably is created on surfaces and filters of a traditional range hood when it is installed over induction cooktops. Unlike the gas cooktop, induction cooktops only heat the receptacles that contain food and not the surrounding air, therefore the hood surfaces remain cold.

When cooking, hot fumes / steam rises, they then come into contact with the cold surfaces of the hood, releasing the moisture in the air that will turn into water droplets which then inevitably fall onto the underlying surface and onto the food being cooked dragging behind fat and impurities.

This unfortunately is physics and absolutely does not depend on the hood suction capacity, but on the temperature difference between the cooking heat being created and the range hood's cold surfaces.

These droplets also inevitably form inside the hood itself, and over time can cause problems to the electrical and electronic components.

Thanks to this new system, ILVE has resolved one of the most unpleasant and difficult problems in the context of cooking with induction.

From now on every induction hob has found its solution: VAPORE!



Pictured: VAPORE control panel



Pictured: VAPORE - 60cm induction hood



Pictured: VAPORE - 90cm under side open




Pictured: VAPORE - 60cm under side open

Concealed Range Hood VAPORE 60 & 90



Model VAPORE Series Concealed Hood

- Specifically designed and innovated for use with Induction cooktops
- Filters: stainless steel cover with aluminium filter
- Control: soft touch control
- Water release outlet
- Innovative vapour system prevents water droplets onto the cooking surface
- Lighting: LED
- Max. Air flow (m3/h): 920 net or 1200 gross*
- Ducting Outlet: 150 mm**
- Ducting: duct out or re-circulating***
- Size: 60cm & 90cm
- Available Colour: stainless steel



Type: Concealed Range Hood Size: 60cm & 90cm

Power standard: 10 Amp plug

^{***}Optional recirculating kit and accessories are available (consult with ILVE)





31012017

Australia National Telephone Number 1300 MYILVE (694 583) New Zealand Telephone Number 0508 458 369 ILVE showrooms are open Tuesday - Friday from 9am-5pm and Saturdays 10am-4pm. CLOSED Monday & Sunday

ilve.com.au

NSW & ACT (Head Office) VIC & SA 48-50 Moore Street Leichhardt F 02 8569 4699

1211 Toorak Road Camberwell F 03 9809 2155

QLD 1/42 Cavendish Road Coorparoo F 07 3397 0850

WA & NT Unit 10/55 Howe Street Osborne Park F 08 9201 9188

TAS (Crisp Ikin) 3 Pear Avenue Derwent Park, 7009 P 03 6272 7386

New Zealand PO Box 11.160 Sockburn Christchurch F 03 344 5906

^{*}Range Hood extraction rate m3/h reading is measured at: 1m duct up, 1 x 90°C bend & 1m vertical duct

^{**}Using the conversion back to 125mm may effect performance